

Dahua Technology 5MP Outdoor Fixed-focal Wi-Fi Pan & Tilt Network Camera

Gamintojas: **DAHUA** · Modelis: **P5AS-PV** · EAN: **6939554961144** · Prekės kodas: **717610**



43,90 €

Kaina su PVM

Be PVM: **36,28 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Clear images with sharp details
- ✓ Focuses on what matters and reduces false alarms
- ✓ 360° monitoring without blind spots
- ✓ Captures color details for post-event review
- ✓ Low-cost storage
- ✓ Provides instant alarms to deter intruders
- ✓ Guards the places that matter to you regularly
- ✓ Fast pairing with Bluetooth
- ✓ Communication anytime, anywhere
- ✓ Stronger deterrent to repel potential intruders



Aprašymas

The Active Defense series of small PT cameras raises the bar on performance. After detecting an intrusion, it triggers sound and light alarms, and then instantly relays vital information on the intrusion to the mobile client, keeping you informed no matter where you are. It supports two-way talk, allowing you to communicate with people in front of the camera in real time. Additionally, it includes smart dual illuminators that not only reduce light pollution, but also intelligently turn on when they are triggered by an event to assist the camera with capturing clear, full-color videos.

Techninė specifikacija

Specifications	
Sandėlio grupė	Surveillance Systems [+315][-2956]
Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
Auto-tracking	Yes
Auto patrol mode	Yes
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Design	
Mounting type	Ceiling/wall
Product colour	Black, White
Form factor	Turret
LED indicators	Yes
Housing material	Plastic
Protection features	Dustproof, Rain proof, Wind resistant
International Protection (IP) code	IP66
Weatherproof	Yes
Camera	
Camera pan control	Yes
Camera tilt control	Yes
Minimum illumination	0 lx
Angle of rotation	180°
Lens viewing angle, horizontal	78°
Lens viewing angle, vertical	42°
Lens viewing angle, diagonal	92°
Tilt angle range	0 - 90°
Pan range	0 - 345°
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")
Panoramic camera	
Digital Wide Dynamic Range (DWDR) (panoramic camera)	Yes

Lens system

Fixed focus	Yes
Maximum aperture number	1.6
Fixed focal length	4 mm

Night vision

Night vision	Yes
Night vision distance	30 m
LED type	IR/White
Number of illumination LEDs	2

Video

Maximum resolution	2880 x 1620 pixels
Total megapixels	5 MP
Video compression formats	H.264, H.264B, H.264H, H.265, M-JPEG
Video streaming	Yes
Bit rate	32 kbps–6144 kbps

Audio

Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Voice codecs	G.711Mu, G.711a, PCM

Network

Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	Yes
Ethernet interface type	Fast Ethernet
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Live view	Yes
Client interoperability	ONVIF; CGI

Storage

Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB

Ports & interfaces

Ethernet LAN (RJ-45) ports	1
Security	
Video motion detection	Yes
Intelligent Video Surveillance (IVS) system features	Abnormal sound detection, Human detection, Vehicle detection
Management features	
Reset button	Yes
Management software	Smart PSS Lite; DSS; DMSS
Power	
Power source type	DC
Power consumption (typical)	2 W
Power consumption (max)	14 W
DC output voltage	12
Operational conditions	
Operating temperature (T-T)	-30 - 55 °C
Operating relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	110 mm
Depth	125.4 mm
Height	140.3 mm
Weight	400 g
Sustainability	
Compliance certificates	CE
Packaging content	
Number of cameras	1
Mounting brackets included	Yes
AC adapter included	Yes
Quick start guide	Yes
Other features	
Data transfer rate	100 Mbit/s
Matmenys ir svoris	
Matmenys (I × P × A)	15,00cm × 15,00cm × 22,00cm
Svoris	0,74kg