

Imou Cruiser Z Turret IP security camera Indoor & outdoor Ceiling/wall

Gamintojas: **IMOU** · Modelis: **IPC-S7DP-5M0WEZ** · EAN: **6976391038110** · Prekės kodas: **717625**



65,90 €

Kaina su PVM

Be PVM: **54,46 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Indoor & outdoor IP security camera
- ✓ CMOS 25.4 / 3 mm (1 / 3") 5 MP
- ✓ Wired & Wireless Ethernet LAN Wi-Fi
- ✓ Night vision 56 m White
- ✓ Digital zoom: 12x
- ✓ Turret Ceiling/wall Waterproof
- ✓ IP66
- ✓ Black, White
- ✓ 438 g



Aprašymas

Cruiser Z

3K UHD Image | 12x Hybrid Zoom | Smart Full-color Night Vision | Remote Pan & Tilt | Powered by IMOU SENSE

Dual 5MP lenses deliver 3K ultra HD images

Both of the Cruiser Z's 5 MP lenses deliver 3K UHD images with detailed picture quality.

12x hybrid zoom for accurate capture of super far details

The 12mm telephoto lens of Cruiser Z allows up to 12x hybrid zoom, making it easy to capture detailed images at least 56m¹ away.

Optical & digital zoom for different needs

Capture the details or control the whole picture, Cruiser Z can handle it all!

- 1x zoom
- 5x zoom
- 12x zoom

Light the night up with smartness

Cruiser Z can adjust different night vision modes according to your needs, whether you want the night vision to remain in full color all the time or want to turn on full color only when there is an event to save energy, it can always satisfy you.

Smart mode

The camera will automatically turn into color mode from infrared mode when suspicious motion is detected.

Full-color mode

Thanks to the built-in spotlights, your night vision is now turned up and in full color.

Infrared mode

Advanced IR algorithm provide clear black-and-white pictures even in darkness.

Off mode

Turn off all night vision modes Infrared and spotlights are all turned off.

Remote pan & tilt for 360° protection

The Cruiser Z's pan-tilt lens supports 0°-355° horizontal rotation and 0°-90° vertical rotation to protect your home 360°.

Powered by IMOU SENSE® precision AI

IMOU SENSE® is a self-developed AI algorithm under the IMOU brand. each of the two lenses of the Cruiser Z uses its own algorithm, which doesn't degrade the accuracy due to an increase in the number of lenses, giving it a 50% increase in overall accuracy and delivering the detection results back to you within 0.02 seconds.

Accurate human and vehicle detection

Powered by IMOU SENSE®, the newly upgraded AI human and vehicle detection can effectively reduce false alarms caused by mosquitoes and tree shaking.

Professional protection to weather any storm

With IP66 water-resistance, Cruiser Z is able to against dust penetration and can easily handle rain and wind, keeping you safe around the clock.

Put your camera further with Wi-Fi 6

Cruiser Z supports the latest Wi-Fi 6 standard with higher data transfer rates and better wall penetration, allowing your security range wider.

Protect according to your preferences

- Favorite Point Setting
- Customizable detection zone
- Customizable Alarm Sound
- Protection Scheduling

Deter unwelcome visitors

Cruiser Z keeps an eye on your house, when someone breaks in, the 110dB siren will turn on to deter the unwelcome visitor.

Connect your home from anywhere

Built-in speaker and microphone with echo cancellation feature allow you to interact with family and visitor from anywhere.

Imou Protect - Level up your security

Imou Protect is a subscription service that is able to empower your IMOU products with advanced cloud computing technology and upgrade your security experiences.

Techninė specifikacija

Specifications	
Sandėlio grupė	Surveillance Systems [+315][-2956]
Performance	
Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired & Wireless
Day/night mode	Yes
Built-in light	Yes
Design	
Mounting type	Ceiling/wall
Product colour	Black, White
Form factor	Turret
Housing material	Plastic
Protection features	Waterproof
International Protection (IP) code	IP66
Camera	

Lens viewing angle, horizontal	24.4°
Lens viewing angle, vertical	14°
Lens viewing angle, diagonal	28.1°
Tilt angle range	0 - 90°
Pan range	0 - 355°
Viewing angle, horizontal (2.8mm lens)	95.3°
Viewing angle, vertical (2.8mm lens)	52.1°
Viewing angle, diagonal (2.8mm lens)	113.7°
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 3 mm (1 / 3")
Progressive scan	Yes
Lens system	
Number of lenses	1
Zoom capability	Yes
Digital zoom	12x
Maximum aperture number	1.6
Fixed focal length	12 mm
Night vision	
Night vision	Yes
Night vision distance	56 m
LED type	White
Video	
Total megapixels	5 MP
Video compression formats	H.264, H.265
Frame rate	15 fps
Audio	
Built-in speaker(s)	Yes
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No

Ethernet interface type	Fast Ethernet
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Built-in siren	Yes
Siren noise level	110 dB
Video motion detection	Yes
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Configurable region	Yes
Management features	
Reset button	Yes
Power	
Power source type	DC
Power consumption (max)	12 W
DC output voltage	12
DC output current	1 A
Operational conditions	
Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	0 - 95%
Weight & dimensions	
Width	129 mm
Depth	110 mm
Height	110 mm
Weight	438 g
Sustainability	
Compliance certificates	CE
Packaging content	
Number of cameras	1

Mounting kit	Yes
Screws included	Yes
AC adapter included	Yes
Quick start guide	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	11,00cm × 13,00cm × 11,00cm
Svoris	0,44kg