

# DELL PowerEdge R470 server 960 GB Rack (1U) Intel Xeon 6 6517P 3.2 GHz 32 GB DDR5-SDRAM 1100 W

Gamintojas: **DELL** · Modelis: **DVT8N** · EAN: **5397184980552** · Prekės kodas: **717758**



## 10 860,90 €

Kaina su PVM

Be PVM: **8 975,95 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ No OS
- ✓ Intel Xeon 6 6517P (72MB Cache, 3.2GHz)
- ✓ 32GB DDR5-SDRAM (1 x 32) & 960GB SSD
- ✓ iDRAC10, Enterprise 17G



## Aprašymas

### Simple, Scalable and Efficient solutions

The 1U, one-socket PowerEdge R470 is tailored to help you reach your budgetary requirements with optimised power and balance performance in your data center.

## Techninė specifikacija

### Specifications

Sandėlio grupė

Computers [+193][-2216]

### Processor

|                                            |                                      |
|--------------------------------------------|--------------------------------------|
| Processor family                           | Intel Xeon 6                         |
| Processor manufacturer                     | Intel                                |
| Processor model                            | 6517P                                |
| Processor frequency                        | 3.2 GHz                              |
| Processor boost frequency                  | 4.2 GHz                              |
| Processor cores                            | 16                                   |
| Processor cache                            | 72 MB                                |
| Number of processors installed             | 1                                    |
| Thermal Design Power (TDP)                 | 190 W                                |
| System bus rate                            | 24 GT/s                              |
| Processor threads                          | 32                                   |
| Memory types supported by processor        | DDR5-SDRAM                           |
| Memory clock speeds supported by processor | 6400 MHz                             |
| Memory                                     |                                      |
| Internal memory                            | 32 GB                                |
| Internal memory type                       | DDR5-SDRAM                           |
| Buffered memory type                       | Registered (buffered)                |
| Memory ranking                             | 2                                    |
| Memory slots                               | 16x DIMM                             |
| Memory layout (slots x size)               | 1 x 32 GB                            |
| Memory data transfer rate                  | 6400 MT/s                            |
| Storage                                    |                                      |
| Total storage capacity                     | 960 GB                               |
| RAID support                               | Yes                                  |
| Optical drive type                         | No                                   |
| Number of SSDs installed                   | 2                                    |
| SSD capacity                               | 480 GB                               |
| SSD interface                              | SATA III                             |
| SSD size                                   | 2.5"                                 |
| Supported SSD sizes                        | 2.5"                                 |
| Number of SSDs supported                   | 8                                    |
| Supported RAID controllers                 | PERC H965i Controller, Front, DC-MHS |
| Hot-Plug support                           | Yes                                  |
| Ports & interfaces                         |                                      |
| Ethernet LAN (RJ-45) ports                 | 1                                    |

|                                                         |                                                                                                                                       |
|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity         | 2                                                                                                                                     |
| VGA (D-Sub) ports quantity                              | 1                                                                                                                                     |
| Expansion slots                                         |                                                                                                                                       |
| PCI Express x16 (Gen 5.x) slots                         | 2                                                                                                                                     |
| Design                                                  |                                                                                                                                       |
| Chassis type                                            | Rack (1U)                                                                                                                             |
| Product colour                                          | Black                                                                                                                                 |
| Bezel                                                   | Yes                                                                                                                                   |
| Performance                                             |                                                                                                                                       |
| Remote administration                                   | iDRAC10, Enterprise 17G                                                                                                               |
| Software                                                |                                                                                                                                       |
| Operating system installed                              | No                                                                                                                                    |
| Compatible operating systems                            | Canonical Ubuntu Server LTS RedHat Enterprise Linux SUSE Linux Enterprise Server VMware ESXi Windows Server Windows Server Datacenter |
| Power                                                   |                                                                                                                                       |
| Redundant power supply (RPS) support                    | Yes                                                                                                                                   |
| Power supply                                            | 1100 W                                                                                                                                |
| Number of redundant power supplies installed            | 2                                                                                                                                     |
| Power supply input voltage                              | 100 - 240 V                                                                                                                           |
| Certificates                                            |                                                                                                                                       |
| 80 PLUS certification                                   | 80 PLUS Titanium                                                                                                                      |
| Carbon footprint                                        |                                                                                                                                       |
| Total carbon footprint (kg of CO2e)                     | 2549                                                                                                                                  |
| Total carbon emissions, standard deviation (kg of CO2e) | 1827                                                                                                                                  |
| Carbon emissions, manufacturing (kg of CO2e)            | 553.13                                                                                                                                |
| Carbon emissions, logistics (kg of CO2e)                | 170.78                                                                                                                                |
| Carbon emissions, energy usage (kg of CO2e)             | 1799.59                                                                                                                               |
| Carbon emissions, end-of-life (kg of CO2e)              | 22.94                                                                                                                                 |
| PAIA version                                            | PAIA 1.4.2, 2025                                                                                                                      |
| Weight & dimensions                                     |                                                                                                                                       |
| Width                                                   | 482 mm                                                                                                                                |
| Height                                                  | 42.8 mm                                                                                                                               |
| Packaging content                                       |                                                                                                                                       |

Packaging content

2x Rack Power Cord 2M (C13/C14 12A) - FGA Only ReadyRails Sliding Rails Without Cable Management Arm or Strain Relief Bar,Riser Config 6

**Other features**

Data transfer rate

6 Gbit/s

Bytes per sector

512

Target workload

Read Intensive (RI)

Open Compute Project (OCP)

1x16 Onboard

**Matmenys ir svoris**

Matmenys (l × p × a)

60,00cm × 100,00cm × 29,00cm

Svoris

24,00kg