

DELL P Series P2424HT computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Touchscreen Black, Silver

Gamintojas: **DELL** · Modelis: **DELL-P2424HT** · EAN: **5397184821367** · Prekės kodas: **718073**



382,90 €

Kaina su PVM

Be PVM: **316,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5cm (23.8") Full HD 1920 x 1080 LED IPS
- ✓ 8ms, 16:9, 300cd/m², 1000:1
- ✓ USB, HDMI, DisplayPort



Aprašymas

23.8-inch monitor puts productivity in reach with its touch screen, superior connectivity and articulating stand.

Techninė specifikacija

Specifications

Sandėlio grupė 24 [+24][-7]

Display

Display diagonal 60.5 cm (23.8")

Display resolution 1920 x 1080 pixels

Native aspect ratio	16:9
Display technology	LCD
Touchscreen	Yes
HD type	Full HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.78 million colours
Backlight type	LED
Display brightness (typical)	300 cd/m²
Anti-glare screen	Yes
Supported video modes	480p, 576p, 720p, 1080i, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	93 ppi
Horizontal scan range	30 - 88 kHz
Vertical scan range	48 - 75 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Viewable size diagonal	60.5 cm
Display diagonal (metric)	60.47 cm
High Dynamic Range (HDR) supported	No
Surface hardness	3H
Colour depth	6 bit
sRGB coverage (typical)	99%
Performance	
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
RMS rated power	3 W

Design	
Market positioning	Business
Product colour	Black, Silver
Front bezel colour	Black
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone connectivity	3.5 mm
Microphone in	No
PC Audio in	No
HDCP	Yes
HDCP version	1.4
AC (power) in	Yes
Network	
Wi-Fi	No
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm

Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	11 cm
Pivot	No
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 60°
On Screen Display (OSD)	Yes
Plug and Play	Yes
LED indicators	Yes
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	18 kWh
Power consumption (typical)	18 W
Power consumption (standby)	0.5 W
Power consumption (max)	190 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	538.8 mm
Depth (with stand)	248.9 mm
Height (with stand)	431.5 mm
Weight (with stand)	7.86 kg

Width (without stand)	538.8 mm
Depth (without stand)	54.1 mm
Height (without stand)	321 mm
Weight (without stand)	3.86 kg
Bezel width (side)	5.88 mm
Bezel width (top)	5.87 mm
Bezel width (bottom)	1.86 cm
Packaging data	
Package weight	10.8 kg
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Power adapter included	Yes
Remote control included	No
Stylus included	No
Quick start guide	Yes
DisplayPort cable length	1.8 m
Sustainability	
Sustainability certificates	ENERGY STAR
Doesn't contain	PVC/BFR
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	633
Total carbon emissions, standard deviation (kg of CO2e)	149
Carbon emissions, manufacturing (kg of CO2e)	396.26
Carbon emissions, logistics (kg of CO2e)	53.17
Carbon emissions, energy usage (kg of CO2e)	177.24
Carbon emissions, end-of-life (kg of CO2e)	6.33
PAIA version	PAIA 1.3.2, 2022
Other features	
RJ-45 ports quantity	1
Heavy metals free	Hg (mercury)
Compliance certificates	RoHS
Ethernet LAN (RJ-45) ports	0

Matmenys ir svoris

Matmenys (I × P × A)

40,00cm × 77,00cm × 16,00cm