

## LevelOne USB-0423 network card Ethernet 2500 Mbit/s

Gamintojas: **LEVEL ONE** · Modelis: **USB-0423** · EAN: **4015867234372** · Prekės kodas: **718532**



### 33,90 €

Kaina su PVM

Be PVM: **28,02 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

### Pagrindinės savybės

- ✓ 10/100/1000/2500 Mbps wire speed transmission and reception
- ✓ 16K jumbo frames to increase data transfer rates
- ✓ Built-in Wake-on-LAN feature to startup computers remotely and modern stnadby
- ✓ Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)
- ✓ Supports IPv4/IPv6 network operation
- ✓ Simple Plug and Play installation
- ✓ Multi-platform support: Windows, Linux, MacOS, iPadOS and Android



### Aprašymas

The LevelOne USB-0423 2.5 Gigabit Ethernet 2-in-1 USB-C/A Network Adapter allows you to connect to the internet easily through the built-in USB-C/A port on your laptop. This is an ideal solution for MacBook or other Windows computers that may have wireless built-in but don't come with an Ethernet port. Sometimes you need to physically connect to a network cable to help transfer files or access secure information. The USB-0423 offers steady and efficient data transmission, with transfer speeds of up to 5Gbps. With its 2.5 Gigabit Ethernet connection, it enables lightning-fast data transfers, at speeds 2.5 times faster than Gigabit Ethernet.

The USB-0423 is USB3.0, USB3.1 Gen 1 and USB3.2 Gen 1 compliant. It also follows the Ethernet standards set by the IEEE 802.3bz, allowing you to take advantage of Gigabit Ethernet speeds of up to 2500Mbps. This provides a strong backbone for any high-speed broadband connection to the internet as well as fast speeds for the Local Area Network file transfers.

This makes the USB-0423 the best choice for reliability, efficiency and standard compliance.

## Techninė specifikacija

| Specifications                      |                                                                                                          |
|-------------------------------------|----------------------------------------------------------------------------------------------------------|
| Sandėlio grupė                      | USB Hubs [+541][-77]                                                                                     |
| Ports & interfaces                  |                                                                                                          |
| Connectivity technology             | Wired                                                                                                    |
| Host interface                      | USB Type-A/USB Type-C                                                                                    |
| Interface                           | Ethernet                                                                                                 |
| Ethernet LAN (RJ-45) ports          | 1                                                                                                        |
| USB version                         | 3.2 Gen 1 (3.1 Gen 1)                                                                                    |
| Network                             |                                                                                                          |
| Maximum data transfer rate          | 2500 Mbit/s                                                                                              |
| Networking standards                | IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x |
| Ethernet LAN                        | Yes                                                                                                      |
| Ethernet interface type             | 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet                                                    |
| Ethernet LAN data rates             | 10,100,1000,2500 Mbit/s                                                                                  |
| Cabling technology                  | 10/100/1000BaseT(X)                                                                                      |
| Wake-on-LAN ready                   | Yes                                                                                                      |
| Full duplex                         | Yes                                                                                                      |
| Jumbo frames support                | Yes                                                                                                      |
| Jumbo frames                        | 16000                                                                                                    |
| Design                              |                                                                                                          |
| Internal                            | No                                                                                                       |
| Component for                       | Laptop                                                                                                   |
| Product colour                      | Grey                                                                                                     |
| Plug and Play                       | Yes                                                                                                      |
| LED indicators                      | Activity, Link                                                                                           |
| Country of origin                   | China                                                                                                    |
| Power                               |                                                                                                          |
| USB powered                         | Yes                                                                                                      |
| System requirements                 |                                                                                                          |
| Windows operating systems supported | Yes                                                                                                      |
| Mac operating systems supported     | Yes                                                                                                      |

|                                   |                |
|-----------------------------------|----------------|
| Linux operating systems supported | Yes            |
| Other operating systems supported | Android, iOS   |
| Operational conditions            |                |
| Operating temperature (T-T)       | 0 - 40 °C      |
| Operating relative humidity (H-H) | 20 - 80%       |
| Weight & dimensions               |                |
| Width                             | 59 mm          |
| Depth                             | 25 mm          |
| Height                            | 14 mm          |
| Weight                            | 35 g           |
| Packaging data                    |                |
| Package width                     | 158 mm         |
| Package depth                     | 85 mm          |
| Package height                    | 22 mm          |
| Package weight                    | 57 g           |
| Packaging content                 |                |
| Quick installation guide          | Yes            |
| Technical details                 |                |
| Compliance certificates           | CE, RoHS, UKCA |
| Sustainability                    |                |
| Sustainability compliance         | Yes            |