

Conceptronic BIAN08G CFexpress 2.0 Type B Card Reader USB 3.2 Gen 2

Gamintojas: **CONCEPTRONIC** · Modelis: **BIAN08G** · EAN: **4015867239315** · Prekės kodas: **718941**



32,90 €

Kaina su PVM

Be PVM: 27,19 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compatible with CFexpress 2.0 Type B cards, it enables fast transfers for 4K/8K video and high-resolution photos
- ✓ USB 3.2 Gen 2 SuperSpeed (10Gb/s)
- ✓ Simple Plug and Play installation
- ✓ Aluminum casing for heat dissipation
- ✓ Cable length: 15cm



Aprašymas

This CFexpress Card Reader features a USB-C interface, enabling high-speed data transfer from your CFexpress Type B storage card to any USB-C-compatible computer, with transfer speeds up to 10Gbps. An LED indicator provides a visual cue during data read and write operations.

Ideal for photographers, videographers, and content creators, this reader offers convenient and quick access to large files.

Techninė specifikacija

Specifications

Sandėlio grupė	SD Cards [+142][-21]
Performance	
Compatible memory cards	CFexpress 2.0 Type B
Internal	No
Product colour	Grey
Number of memory card slots	1
Data transfer rate	10000 Mbit/s
Housing material	Aluminium
Plug and Play	Yes
Maximum memory card size	2 TB
Ports & interfaces	
Interface	USB 3.2 Gen 2 Type-C
Integrated USB cable	Yes
Power	
Power source type	USB
Weight & dimensions	
Width	64 mm
Depth	60 mm
Height	15 mm
Weight	50 g
Cable length	0.15 m
Packaging data	
Package width	150 mm
Package depth	108 mm
Package height	120 mm
Package weight	88 g
Package type	Hanging box
Packaging content	
Manual	Yes
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Operating relative humidity (H-H)	5 - 90%
System requirements	

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.15 Catalina, Mac OS X 10.7.5 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.10 Yosemite, Mac OS X 11.0 Big Sur, Mac OS X 10.11 El Capitan, Mac OS X 12.0 Monterey, Mac OS X 10.12 Sierra, Mac OS X 10.5 Leopard, Mac OS X 13.0 Ventura, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 14.0 Sonoma
Mobile operating systems supported	Android 7.1, Android 7.1.2, Android 8.0, Android 10.0, Android 8.1, Android 11.0, Android 9.0, Android 12.0, Android 13.0, Android 14.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0

Other features	
Compliance certificates	CE, RoHS
Technical details	
Country of origin	China
Logistics data	
Harmonized System (HS) code	8471900000
Products per master (outer) case	40 pc(s)
Master (outer) case width	455 mm
Master (outer) case length	220 mm
Master (outer) case height	210 mm
Master (outer) case gross weight	4.32 kg
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	150 cm
Master (outer) cases per pallet	36 pc(s)
Matmenys ir svoris	
Svoris	0,09kg