

ASUS ROG RYUJIN II 240 Processor All-in-one liquid cooler 12 cm Black 1 pc(s)

Gamintojas: **ASUS** · Modelis: **90RC00A0-M0UAY0** · EAN: **4711081134732** · Prekės kodas: **719385**



212,90 €

Kaina su PVM

Be PVM: **175,95 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Seventh Gen Asetek pump delivers exceptional cooling and minimal noise with an operating range starting at 840 rpm
- ✓ 3.5" LCD Display for real-time system stats and personalised logos or animations
- ✓ Quality Noctua Industrial PPC PWM fans deliver high airflow and minimal noise
- ✓ Pump embedded fan that helps to cool VRM and M.2 area
- ✓ Reinforced, sleeved tubing for increased durability
- ✓ Styled to complement ROG motherboards, at the center stage of your build



Aprašymas

The flagship ROG Ryujin II all-in-one cooler delivers ultimate thermal performance for gamers looking for the absolute best. With a 7th Generation Asetek pump, Noctua Industrial PPC radiator fans, and an embedded fan for the CPU socket area, it harnesses both water and air to provide incredible cooling capabilities. And with an LCD panel that displays system stats and customizable graphics, ROG Ryujin II become the heart of your system.

LCD Personalization

The 3.5-inch LCD panel on ROG Ryujin II is the largest LCD display on an AIO cooler in the industry and infuses your build with customizable visuals.

Performance

To overcome the thermal challenges of the latest multi-core CPUs, ROG Ryujin II offers industrial-grade Noctua iPPC-2000 PWM radiator fans that deliver high performance and minimal-noise operation.

Extensive Compatibility

ROG Ryujin II series is compatible with a wide range of Intel® and AMD motherboard platforms, giving you the flexibility to pair it with your choice of processor. It also comes fitted with 38 cm of tubing to make mounting and routing easier.

Techninė specifikacija

Specifications	
Sandėlio grupė	Cooling Accessories [+53][-14]
Performance	
Suitable location	Processor
Type	All-in-one liquid cooler
Fan diameter	12 cm
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1366 (Socket B), LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM4, Socket TR4
Pulse-width modulation (PWM) support	Yes
Quantity per pack	1 pc(s)
Fan speed (min)	450 RPM
Fan speed (max)	2000 RPM
Design	
Product colour	Black
Material	Aluminium, Copper, Rubber
Radiator material	Aluminium
Number of fans	2 fan(s)
Illumination LED	Yes
Water block material	Copper
Weight & dimensions	
Radiator width	27.2 cm
Radiator depth	12.1 cm
Radiator height	2.7 cm
Waterblock width	7.82 cm
Waterblock depth	8.75 cm
Waterblock height	8.1 cm
Fan dimensions (W x D x H)	120 x 120 x 25 mm

Fan thickness	2.5 cm
---------------	--------

Packaging content

Mounting kit	Yes
--------------	-----

Installation instruction	Yes
--------------------------	-----

Other features

Tube material	Rubber
---------------	--------

Country of origin	China
-------------------	-------

Noise level	29.7 dB
-------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	3,00cm × 12,00cm × 12,00cm
----------------------	----------------------------