

Conceptronic DONN07BA USB to Gigabit Network Adapter with 3-Port USB Hub, USB-A x 3, Wake-on-LAN, 2-in-1 USB-C USB-A Cable

Gamintojas: **CONCEPTRONIC** · Modelis: **DONN07BA** · EAN: **4015867237878** · Prekės kodas: **719720**



34,90 €

Kaina su PVM

Be PVM: **28,84 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Provides a Gigabit Ethernet port with speeds up to 1000Mbps
- ✓ USB 3.2 Gen 1 SuperSpeed (5Gb/s)
- ✓ Supports Wake-on-LAN feature to startup computers remotely
- ✓ Multi-platform support: Windows, macOS, ChromeOS
- ✓ Simple Plug and Play installation



Aprašymas

The Conceptronic USB Hub and Gigabit Ethernet Combo Adapter allows you to connect to the internet easily through the built-in USB port on your laptop. This is an ideal solution for MacBook or other Windows computers that may have wireless built-in but don't come with an Ethernet port. The adapter also combines a regular USB hub. So you can connect external USB peripherals, such as a MP3 player, digital camera, printer or pen drive.

Techninė specifikacija

Specifications

Sandėlio grupė

USB Hubs [+541][-77]

Ports & interfaces

Connectivity technology	Wired
Host interface	USB Type-A/USB Type-C
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
USB ports quantity	3
USB connector form factor	Straight
USB version	3.2 Gen 1 (3.1 Gen 1)
Network	
Maximum data transfer rate	5000 Mbit/s
Ethernet LAN	Yes
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000BaseT(X)
Wake-on-LAN ready	Yes
Design	
Internal	No
Component for	PC/Laptop
Product colour	Black
Country of origin	China
Power	
USB powered	Yes
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Other operating systems supported	Android
Operational conditions	
Operating temperature (T-T)	0 - 45 °C

Weight & dimensions

Width	23.6 mm
Depth	16.6 mm
Height	80.2 mm
Weight	43 g

Packaging data

Package width	85 mm
Package depth	22 mm
Package height	158 mm
Package weight	75 g

Packaging content

Quick installation guide	Yes
--------------------------	-----

Logistics data

Harmonized System (HS) code	8471800000
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	190 cm
Master (outer) case width	440 mm
Master (outer) case length	290 mm
Master (outer) case height	250 mm
Master (outer) case gross weight	7.9 kg
Products per master (outer) case	100 pc(s)

Other features

Cable length	0.18 m
--------------	--------