

Lindy DST-Micro 140, USB-C Laptop Micro Docking Station with 4K Support and 1.4m 60W Charging Cable

Gamintojas: **LINDY** · Modelis: **43326** · EAN: **4002888433266** · Prekės kodas: **719750**



42,89 €

Kaina su PVM

Be PVM: **35,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Adds 2 USB Type A ports (5Gbps), an HDMI port and an SD card reader to your notebook
- ✓ Integrated 1.4m USB Type C cable for convenient and flexible laptop charging
- ✓ Supports max. HDMI resolution up to Ultra HD 4K 30Hz
- ✓ USB Power Delivery 3.0 capable up to 60W
- ✓ 2 year warranty



Aprašymas

The DST-Micro 140 is a compact and versatile micro docking station designed to be adaptable for use in different environments. Part of Lindy's expert docking station range, this product is ideal for those who travel with their tech and often find themselves in environments not built for laptop or desktop use. Housed in a robust aluminium body, this micro docking station is built to provide adaptability on the go.

The DST-Micro 140 unlocks connectivity for your device with SuperSpeed USB, microSD and SD Card Slots and a 4k capable HDMI port. Pair this functionality with pass-through charging of up to 60W and the 1.4m power delivery cable and you are left with an incredibly adaptable and capable docking station.

Multifunctional. The DST-Micro 140 unlocks connectivity for your device with SuperSpeed USB, (Micro-) SD Card Slots and a 4k capable HDMI

port.Pass-through Charging

This multifunctional device with pass-through charging of up to 60W and the 1.4m power delivery cable provides you with an incredibly adaptable and capable docking station.

Plug-and-Play

This micro docking station does not require any driver installation. This allows for seamless large-scale implementation and a hassle-free experience.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Docks [+118][-14]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HDCP	Yes
Performance	
Product colour	Black, Grey
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	5 Gbit/s
Maximum digital resolution	3840 x 2160 pixels
Maximum refresh rate	30 Hz
Housing material	Aluminium, Plastic
Power	
Power source type	USB
Operational conditions	
Operating temperature (T-T)	5 - 30 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	25 - 65%
Weight & dimensions	

Width	36 mm
Depth	148 mm
Height	13 mm
Weight	100 g
Packaging data	
Package width	174 mm
Package height	194 mm
Package weight	100 g
Packaging content	
Manual	Yes
Technical details	
Compliance certificates	CE, REACH, RoHS
Logistics data	
Harmonized System (HS) code	84733020
Matmenys ir svoris	
Matmenys (I × P × A)	18,00cm × 20,00cm × 2,00cm