

Equip USB-C 5 in 1 Multifunctional Adapter

Gamintojas: **EQUIP** · Modelis: **133483** · EAN: **4015867227589** · Prekės kodas: **719763**



31,90 €

Kaina su PVM

Be PVM: **26,36 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 5-in-1 USB-C to HDMI/VGA/USB 3.0/AUX/USB-C PD multiport adapter
- ✓ Supports HDMI resolution up to 4K*2K 30Hz
- ✓ Supports VGA resolution up to 1080P 60Hz
- ✓ Support VGA & HDMI simultaneously
- ✓ USB-C charging port compliant with USB Power Delivery (PD) 3.0
- ✓ technology
- ✓ Power Delivery: 100W Max
- ✓ Multi-platform support: Windows, Mac OS, Chrome OS
- ✓ USB 3.0 SuperSpeed (5Gb/s)
- ✓ Simple Plug and Play installation



Aprašymas

This equip 133483 5-in-1 USB-C adapter makes it possible to expand your device's USB Type-C capacity with HDMI/VGA/USB 3.0/AUX/PD ports. The adapter offers a portable solution for connecting an HDMI and VGA display to your USB-C laptop or desktop computer. The multiport video adapter lets you mirror or extend content on two additional monitors simultaneously (1 x HDMI and 1 x VGA), creating a dual-screen workstation.

Techninė specifikacija

Specifications

Sandėlio grupė

Notebook Docks [+118][-14]

Ports & interfaces

Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
HDMI ports quantity	1
Microphone in	No
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
VGA (D-Sub) ports quantity	1

Network

Ethernet LAN	No
--------------	----

Performance

Product colour	Black, Grey
Card reader integrated	No
Data transfer rate	5 Gbit/s
Maximum digital resolution	4096 x 2160 pixels
Maximum analog resolution	1920 x 1080 pixels
Number of displays supported	2
Maximum refresh rate	60 Hz
Plug and Play	Yes
Housing material	Aluminium
Country of origin	China

Power

Power source type	USB
-------------------	-----

Software

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
-------------------------------------	--

Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
---------------------------------	--

Mobile operating systems supported	Android 10, Android 10.0, Android 11.0, Android 12.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 9.0
------------------------------------	--

Weight & dimensions

Width	45 mm
Depth	15 mm
Height	285 mm
Weight	43 g

Packaging data

Package width	105 mm
Package depth	27 mm
Package height	215 mm
Package weight	87 g

Technical details

Compliance certificates	CE, RoHS
-------------------------	----------

Logistics data

Products per master (outer) case	120 pc(s)
Master (outer) case width	470 mm
Master (outer) case length	400 mm
Master (outer) case height	550 mm
Master (outer) case gross weight	11.4 kg
Harmonized System (HS) code	84733020

Other features

Cable length

0.15 m