

Conceptronic OZUL03BUK 100W GaN Desktop USB PD Charger, Built-in USB-C Cable, UK plug

Gamintojas: CONCEPTRONIC · Modelis: OZUL03BUK · EAN: 4015867235010 · Prekės kodas: 719916



38,90 €

Kaina su PVM

Be PVM: 32,15 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High-Power GaN Technology: This charger utilizes advanced Gallium Nitride (GaN) technology, providing up to 100W of total power for faster and more efficient charging.
- ✓ Efficiency and Fast Charging Technology: Incorporates USB Power Delivery (PD) 3.0 for rapid charging, along with Programmable Power Supply (PPS) compliance to maximize charging efficiency and minimize heat generation.
- ✓ Wide Compatibility: Supports a range of output options from 5.0V to 20.0V across its ports, ensuring compatibility with devices from smartphones to laptops.
- ✓ Included Cables: Features a built-in 1.5m USB-C cable and a detachable 1.2m AC power cable for convenience and versatility.
- ✓ Enhanced Safety Features: Built-in protections against overload, short circuiting, and overheating, ensuring the safety of both the charger and connected devices.



Aprašymas

This charger utilizes advanced Gallium Nitride (GaN) technology, providing up to 100W of total power for faster and more efficient charging. It supports a range of output options from 5.0V to 20.0V across its ports, ensuring compatibility with devices from smartphones to laptops. Enhanced safety features, including built-in protections against overload, short circuiting, and overheating, ensure the safety of both the charger and connected devices. The charger incorporates USB Power Delivery (PD) 3.0 for rapid charging, along with Programmable Power Supply (PPS)

compliance to maximize charging efficiency and minimize heat generation. Additionally, it features a built-in 1.5m USB-C cable and a detachable 1.2m AC power cable for convenience and versatility.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Chargers [+263][-61]
Features	
Purpose	Universal
Power supply type	Indoor
Input voltage	100 - 240 V
Input frequency	50 - 60 Hz
Output power	100 W
Input current	1.8 A
Power plug type	Type G
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
Power protection features	Overheating, Overload, Short circuit
Performance	
USB connectivity	Yes
USB connector type	USB Type-C
Design	
Product colour	Black
Operational conditions	
Operating temperature (T-T)	-20 - 35 °C
Storage temperature (T-T)	-20 - 80 °C
Operating relative humidity (H-H)	5 - 90%
Certificates	
Compliance certificates	CE, RoHS
Weight & dimensions	
Cable length	2.7 m
Width	132 mm
Depth	58 mm
Height	31 mm
Weight	220 g

Packaging data

Package width	140 mm
Package depth	60 mm
Package height	184 mm
Package weight	184 g
Package type	Box

Packaging content

Quantity per pack	1 pc(s)
Cables included	AC
Quick installation guide	Yes

Logistics data

Harmonized System (HS) code	8504408390
Country of origin	China
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	2 m
Master (outer) case width	380 mm
Master (outer) case length	330 mm
Master (outer) case height	310 mm
Master (outer) case gross weight	11 kg
Products per master (outer) case	20 pc(s)

Sustainability

Sustainability compliance	Yes
---------------------------	-----