

Epson LQ-780 dot matrix printer 360 x 180 DPI 487 cps

Gamintojas: **EPSON** · Modelis: **C11CJ81401** · EAN: **8715946696577** · Prekės kodas: **719920**



534,90 €

Kaina su PVM

Be PVM: **442,07 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High speed Impressive print speed of 487 cps (10cpi) with 1+6 copies
- ✓ Quality The 106 column capacity with 24 pins means greater quality
- ✓ Reliable Combined power of print head life and MTBF of 20,000 hours
- ✓ Modern design The black and white casing blends comfortably into any work environment



Aprašymas

Fast and reliable dot matrix printing with the Epson LQ-780. Its robust nature and modern design fits comfortably into any environment. Designed with productivity in mind, the LQ-780 is an ultra-reliable dot matrix printer that offers an impressive ribbon yield. It is fast and compact with a robust build. Its modern design allows effortless integration into any work environment, be it an office or a warehouse.

Fast printing:

Print faster and more productively. The LQ-780 prints the original + six copies, and is capable of printing an impressive 487 cps (10 cpi) when using printer resident fonts.

High ribbon yield:

In a demanding and fast-moving work environment a high ribbon yield is essential, and with 10 million characters per ribbon, this marks the LQ-780 as a leading force in the flatbed market. It is also cost-effective, with long ribbon replacement cycles, low running costs and total cost of ownership.

Dependable:

Durable and built to last, users will be assured by the MTBF (mean time between failures) of 20,000 power on hours. The robust casing can stand up to high humid and heat conditions, and automatic paper thickness adjustment makes the LQ-780 intuitive to use. This results in greater productivity and less maintenance from down time - essential when producing large amounts of documents and data.

Smart design:

This compact hard-working printer is designed to fit on your desk. With its modern, black and white casing, it blends in seamlessly in both office and warehouse environments.

Techninė specifikacija

Specifications	
Sandėlio grupė	Laser Printers [+325][-167]
Printing	
Colour	No
Maximum print speed	487 cps
Maximum resolution	360 x 180 DPI
Maximum printing width (columns)	106
Maximum print speed (draft)	487 cps
Maximum print speed (LQ)	366 cps
Maximum number of copies	6 copies
Built-in barcodes	CODABAR (NW-7), Code 128 (A/B/C), Code 39, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, Matrix 2/5, POSTNET, UPC-A, UPC-E
Number of barcode fonts	8
Number of bitmap fonts	11
Bitmap fonts	Courier, Draft, Prestige, Roman
Number of scalable fonts	4
Scalable fonts	Roman, Roman T, Sans Serif, Sans Serif H
Character sets	PC437, PC850, PC858, ISO 8859-15, Roman 8, Italic
Number of characters	15
Paper handling	
Paper tray media types	Envelopes
Continuous paper thickness range	0.12 - 0.49 mm
Multi-part paper thickness range	0.12 - 0.49 mm
Single sheet thickness range	0.065 - 0.15 mm
Features	
Product colour	Black, White
Buffer size	64 KB

Sound pressure level (printing)	59 dB
---------------------------------	-------

Country of origin	Indonesia
-------------------	-----------

Ports & interfaces

Standard interfaces	Parallel, USB 2.0
---------------------	-------------------

Endurance

Print head	24-pin
------------	--------

Print head life	400 million characters
-----------------	------------------------

Mean time between failures (MTBF)	35000 h
-----------------------------------	---------

Power

Power consumption (typical)	46 W
-----------------------------	------

Power consumption (standby)	8.3 W
-----------------------------	-------

AC input voltage	100 - 240 V
------------------	-------------

AC input frequency	50 - 60 Hz
--------------------	------------

Operational conditions

Operating temperature (T-T)	5 - 35 °C
-----------------------------	-----------

Operating relative humidity (H-H)	10 - 80%
-----------------------------------	----------

System requirements

Windows operating systems supported	Windows 11 x64
-------------------------------------	----------------

Server operating systems supported	Windows Server 2003, Windows Server 2022
------------------------------------	--

Weight & dimensions

Width	480 mm
-------	--------

Depth	301 mm
-------	--------

Height	211 mm
--------	--------

Weight	6.7 kg
--------	--------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Package width	325 mm
---------------	--------

Package depth	590 mm
---------------	--------

Package height	350 mm
----------------	--------

Package weight	8.28 kg
----------------	---------

Other features

Print technology	Dot matrix
------------------	------------

Needles	24
---------	----

Logistics data

Products per pallet	24 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	36 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	84433210
Matmenys ir svoris	
Svoris	8,34kg