

Conceptronic 4-Port DB9 RS232 Serial PCIe Card

Gamintojas: **CONCEPTRONIC** · Modelis: **EMRICK12B** · EAN: **4015867236628** · Prekės kodas: **719957**



46,90 €

Kaina su PVM

Be PVM: **38,76 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Expands your system's connectivity with the addition of 4 RS232 (DB9) serial ports
- ✓ On chip 256-byte depth FIFO in transmit, receive path of each port
- ✓ Compliant with PCI Express 2.0 Gen 1
- ✓ Supports Slow IrDA mode (up to 115200bps) on all serial ports



Aprašymas

The 4-Port DB9 RS232 Serial PCIe Card features four serial ports, providing an easy expansion for additional devices. The serial ports support the RS-232 protocol with a transmission speed of up to 115200bps and also support hardware and software flow control.

Techninė specifikacija

Specifications

Sandėlio grupė

I/O Cards & Adapters [+365][-122]

Ports & interfaces

Host interface

PCIe

Output interface

RS-232

Expansion card standard	PCIe 2.0
Serial ports quantity	4
Serial interface type	RS-232
Design	
Internal	Yes
Product colour	Black
Country of origin	China
Features	
FIFO (First In, First Out)	256 B
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Linux operating systems supported	Yes
Technical details	
Compliance certificates	CE, RoHS
Sustainability compliance	Yes
Weight & dimensions	
Width	85 mm
Depth	69 mm
Height	3 mm
Weight	250 g
Packaging data	
Drivers included	Yes
Quick installation guide	Yes

Package width	172 mm
Package depth	140 mm
Package height	75 mm
Package type	Box
Logistics data	
Harmonized System (HS) code	8471800000
Products per master (outer) case	25 pc(s)
Master (outer) case width	490 mm
Master (outer) case length	380 mm
Master (outer) case height	350 mm
Master (outer) case gross weight	10 kg
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	163 cm
Master (outer) cases per pallet	30 pc(s)