

Equip USB-C to 2.5 Gigabit Ethernet Network (USB-C+A) Adapter

Gamintojas: **EQUIP** · Modelis: **133495** · EAN: **4015867236635** · Prekės kodas: **719959**



27,90 €

Kaina su PVM

Be PVM: **23,06 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ USB-C Male x 1 (Thunderbolt 3/4 Compatible)
- ✓ RJ45 Female x 1
- ✓ Supports USB A+C ports
- ✓ 10/100/1000/2500 Mbps wire speed transmission and reception
- ✓ RJ45 Ethernet socket with LED function display
- ✓ Built-in Wake-on-LAN feature to startup computers remotely and standby.
- ✓ Full duplex / half-duplex data flow control - auto-negotiation
- ✓ Auto MDI-X: Supports patch and crossover cables, automatic detection and switching
- ✓ Compatible with Windows, MacOS, Linux, Android and iOS
- ✓ Aluminum casing



Aprašymas

The Equip 133495 USB-C to 2.5 Gigabit Ethernet Network Adapter is a versatile and high-performance connectivity solution designed for modern devices with USB-C and USB-A ports. This adapter enables seamless networking capabilities, offering a reliable and fast connection for devices that lack built-in Ethernet ports.

With its USB-C and USB-A compatibility, this adapter ensures broad connectivity, allowing you to use it with a wide range of devices, including laptops, desktops, tablets, and more. The USB-C interface provides a reversible and convenient connection, simplifying the user experience.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB Hubs [+541][−77]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB Type-A/USB Type-C
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
Network	
Maximum data transfer rate	2500 Mbit/s
Networking standards	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u
Ethernet LAN	Yes
Ethernet interface type	2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet
Ethernet LAN data rates	10,100,1000,2500 Mbit/s
Wake-on-LAN ready	Yes
Auto MDIX IEEE	Yes
Full duplex	Yes
VLAN tagging	Yes
Design	
Internal	No
Component for	PC/Laptop
Product colour	Grey
LED indicators	Yes
Country of origin	China
System requirements	

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	Yes
Other operating systems supported	Android, iOS
Weight & dimensions	
Width	23.4 mm
Depth	16.5 mm
Height	60 mm
Weight	32 g
Packaging data	
Package width	85 mm
Package depth	22 mm
Package height	158 mm
Package weight	52 g
Technical details	
Compliance certificates	CE, RoHS
Logistics data	
Harmonized System (HS) code	8517620090
Master (outer) case width	440 mm
Master (outer) case length	290 mm
Master (outer) case height	250 mm
Master (outer) case gross weight	5.8 kg

Products per master (outer) case	100 pc(s)
Other features	
Housing material	Aluminium
Cable length	0.15 m
Sustainability	
Sustainability compliance	Yes