

Conceptronic AMDIS09B 1080p Windows Hello Face Recognition Webcam

Gamintojas: CONCEPTRONIC · Modelis: AMDIS09B · EAN: 4015867241509 · Prekės kodas: 720228



76,90 €

Kaina su PVM

Be PVM: 63,55 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compatible with Windows 11/10 Hello Face, allowing fast and secure login using facial recognition without the need for a password
- ✓ Equipped with an 80-degree wide-angle lens that delivers sharp, high-definition images and Full HD 1080p video, making it ideal for video calls, live streaming, and online meetings
- ✓ Weighs just 120g, offering easy portability and convenience for professionals on the go
- ✓ Offers simple Plug-and-Play installation with no drivers required; just connect and start using it immediately
- ✓ Built-in microphone with echo and noise reduction technology ensures crystal-clear sound for natural, face-to-face-like conversations



Aprašymas

The 1080p Windows Hello Face Recognition Webcam is built for convenience, security, and high-quality communication. Fully compatible with Windows 11/10 Hello Face, it allows quick and secure login through facial recognition without the need for a password. An 80-degree wide-angle lens captures sharp, Full HD 1080p video, making it ideal for live streaming, video calls, and virtual meetings. Weighing just 120g, it is lightweight and easy to carry, perfect for professionals on the go. Setup is simple with Plug-and-Play functionality and no drivers required. The built-in microphone features echo and noise reduction technology, delivering crystal-clear audio for natural and seamless conversations.

Techninė specifikacija

Specifications	
Sandėlio grupė	Web Cameras [+25][-3]
Performance	
Megapixel (approx.)	2 MP
Maximum video resolution	1920 x 1080 pixels
Camera HD type	Full HD
Maximum frame rate	30 fps
Face recognition	Yes
Video formats supported	M-JPEG, YUV
Fixed focus	Yes
Viewing angle, horizontal	80°
Noise reduction	Yes
Echo cancellation	Yes
Operating voltage	5 V
Plug and Play	Yes
Design	
Interface	USB 2.0
Product colour	Black
Sensor type	CMOS
Cable length	2 m
Tilt angle range	0 - 360°
Pan range	0 - 360°
Software	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia
Linux operating systems supported	Yes
Operational conditions	
Storage temperature (T-T)	-20 - 70 °C

Operating temperature (T-T)	-10 - 45 °C
-----------------------------	-------------

Weight & dimensions

Width	100 mm
Depth	54 mm
Height	50 mm
Weight	120 g

Packaging data

Package type	Box
Package width	110 mm
Package depth	50 mm
Package height	200 mm
Package weight	190 g

Packaging content

Quick installation guide	Yes
--------------------------	-----

Microphone

Built-in microphone	Yes
---------------------	-----

Logistics data

Pallet gross length	80 cm
Pallet gross width	120 cm
Pallet gross height	183.2 cm
Harmonized System (HS) code	8525890000
Master (outer) case width	525 mm
Master (outer) case length	235 mm
Master (outer) case height	210 mm
Master (outer) case gross weight	4.4 kg
Master (outer) cases per pallet	48 pc(s)
Products per master (outer) case	20 pc(s)
Country of origin	China

Technical details

Compliance certificates	CE, RoHS
-------------------------	----------