

Aerocool Trinity Mini Mini Tower Black

Gamintojas: **AEROCOOL** · Modelis: **ACCS-PV3203311** · EAN: **4710562758627** · Prekės kodas: **720354**



53,91 €

Kaina su PVM

Be PVM: **44,55 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Front panel with air vents delivers superior air flow and ventilation while allowing for viewing of your front LED fans
- ✓ Comes equipped with a full tempered side panel to showcase the inside of your rig
- ✓ Fan mounts on the PSU shroud support up to two 12cm fans for improved VGA cooling
- ✓ Supports liquid cooling in the front and rear of the case
- ✓ Supports air cooling in the front, top, and rear of the case
- ✓ Dual chamber design for improved ventilation



Aprašymas

Designed with ventilation in mind, this case delivers superior air flow while allowing for viewing of your front LED fans. This high-performance mini tower case comes equipped with a full tempered glass side panel to showcase the inside of your rig. Supports liquid cooling in the front and rear of the case for maximum efficiency cooling.

IMPROVED AIR VENTILATION

Stylish front panel design with built-in air vents delivers increased air flow and ventilation while allowing for viewing of your front LED fans.

FULL TEMPERED GLASS SIDE PANEL

Comes equipped with a full tempered glass side panel to showcase the inside of your rig and put your components on display.

COOLING FOR YOUR GRAPHICS CARD

Fan mounts on the PSU shroud support graphics card cooling :
2 x 120mm fans for superior VGA cooling.

AIR COOLING

Supports air cooling in the front, top, and rear of the case to enhance cooling performance.

- Front: 120mm x 2 or 140mm x 2 (Max.)
- Top: 120mm x 2 (Max.)
- Rear: 120mm x 1 (Max.)
- PSU Shroud: 120mm x 2 (Max.)

LIQUID COOLING

Supports liquid cooling in the front and rear of the case for maximum efficiency cooling.

- Front: 120/240mm Radiator (Optional) (for 240mm, supports max length of 240mm and max thickness of 28mm)
- Rear: 120mm Radiator (Optional)

DUAL CHAMBER DESIGN

Built with a dual chamber design to direct heat away from the main chamber for more effective all-around cooling.

BUILT FOR HIGH PERFORMANCE

- Supports Micro-ATX and mini-ITX motherboards
- Supports CPU coolers up to 158mm
- Supports high-end graphics cards up to 297mm (without front radiator)

CONVENIENT ACCESS TO YOUR MEDIA

Quick and easy access to USB 3.0 x 2, USB 2.0 x 1, HD audio and mic ports, and power & reset button.

STORAGE CAPABILITY

Supports up to 2 x 3.5" HDDs (2 x 3.5"/2.5") and 3 x 2.5" SSDs (1 x 2.5" and 2 x 2.5"/3.5").

Techninė specifikacija

Specifications	
Sandėlio grupė	Cases [+302][-69]
Design	
Form factor	Mini Tower
Type	PC
Product colour	Black
Supported motherboard form factors	micro ATX, Mini-ITX
Number of 3.5" bays	2
Material	ABS, SPCC
Number of 2.5" bays	3
Number of expansion slots	4

Illumination	Yes
Cable management	Yes
Maximum CPU cooler height	15.8 cm
Maximum graphics card length	29.7 cm
Power supply	
Power supply included	No
Supported power supply form factors	ATX
Ports & interfaces	
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
Audio input	Yes
Audio output	Yes
Cooling	
Front fans installed	2x 140 mm
Number of front fans supported (max)	2
Front fans diameters supported	120,140 mm
Rear fans installed	1x 120 mm
Number of rear fans supported (max)	1
Rear fans diameters supported	120 mm
Number of top fans supported (max)	2
Top fans diameters supported	120 mm
Front radiator sizes supported	120,240 mm
Rear radiator sizes supported	120 mm
Storage	
Supported HDD sizes	2.5,3.5"
Weight & dimensions	
Width	206.5 mm
Depth	353.4 mm
Height	385 mm
Material thickness	0.5 mm
Matmenys ir svoris	
Svoris	4,54kg