

# ASUS H1 LED Standard throw projector 3000 ANSI lumens 1080p (1920x1080) Black

Gamintojas: **ASUS** · Modelis: **90LJ00F0-B00270** · EAN: **4718017816595** · Prekės kodas: **720869**



## 1 181,90 €

Kaina su PVM

Be PVM: **976,78 €**

[Sandėlyje](#)



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Bright, Full HD visuals - Powered by a 3000 lumen LED light source
- ✓ Ready for next-gen consoles - 120 Hz refresh rate for super smooth gaming
- ✓ Luxurious cinematic experiences - Project from 40" to 200", with 125% Rec. 709 and sRGB color gamuts
- ✓ Easy projector management - Integrated LAN port with Crestron RoomView® Express
- ✓ High-quality speaker - Integrated 10-watt output delivers loud and clear sound for enhanced viewing experiences



## Aprašymas

### Bright and Crisp Projection for Immersive Visuals

With 3000-lumen light output and 125% Rec. 709 and sRGB wide color gamut, ASUS H1 projects bright and crisp imagery at Full HD (1920 x 1080) resolution. A mercury-free RGB LED light source ensures gorgeous, fade-free projections for up to 30,000 hours – which amounts to around 20 years of real-world use, at an average of 4 hours per day. Just fire up H1 to be drawn into immersive adventures from the comfort of your home.

### Superfast Refresh Rate for Smooth Gaming

With its 120 Hz refresh rate, ASUS H1 is locked and loaded for next-gen console gaming – ready to serve up ultrasmooth experiences.

### Big Screen Enjoyment At Home

ASUS H1 turns any room into a home theater, with a wide projection range that spans from 40 to 200 inches – allowing you to enjoy big-screen immersion with ease. H1 also has a 1.2X zoom function for zooming in and out of projections.

#### Sleek and Exquisite Design

The elegant H1 projector offers a premium feel and a style that blends well with any home or office decor, whether mounted on the ceiling or placed on a desk. H1 also includes a sleek, compact remote control for added convenience.

#### Easy Projector Management

H1 has an RJ45 Ethernet port that's compatible with Crestron RoomView Express, enabling remote management of up to 250 projectors on the same network. You can view lamp life, send notifications or set an operational schedule — all on your PC.

#### Comprehensive Connectivity

H1 features a variety of user-friendly connectivity options, including two HDMI2.0 ports for 4K input, VGA, audio input and output, RS232, and one USB Type-A — so it's a cinch to connect up to multimedia sources.

#### 10-Watt Speaker for Superior Sound Quality

The built-in 10-watt speaker delivers a wide frequency range for clear and rich vocals.

### Techninė specifikacija

| Specifications               |                      |
|------------------------------|----------------------|
| Sandėlio grupė               | Projektoren [+9][-4] |
| Projector                    |                      |
| Projector brightness         | 3000 ANSI lumens     |
| Projection technology        | LED                  |
| Projector native resolution  | 1080p (1920x1080)    |
| Contrast ratio (typical)     | 800:1                |
| Supported aspect ratios      | 4:3, 16:10, 16:9     |
| Number of colours            | 1.07 billion colours |
| Light source                 |                      |
| Light source type            | LED                  |
| Service life of light source | 30000 h              |
| Lens system                  |                      |
| Focus                        | Manual               |
| Zoom ratio                   | 1.2:1                |
| Throw ratio                  | 1.3:1 ~ 1.56:1       |
| Video                        |                      |
| Full HD                      | Yes                  |
| Ports & interfaces           |                      |
| VGA (D-Sub) ports quantity   | 1                    |

|                                   |                          |
|-----------------------------------|--------------------------|
| HDMI ports quantity               | 2                        |
| DVI port                          | No                       |
| Audio (L/R) in                    | 1                        |
| Serial interface type             | RJ-45, RS-232            |
| Audio (L/R) out                   | 1                        |
| <b>Network</b>                    |                          |
| Smart TV                          | No                       |
| Ethernet LAN                      | No                       |
| Wi-Fi                             | No                       |
| <b>Storage</b>                    |                          |
| Card reader integrated            | No                       |
| <b>Features</b>                   |                          |
| Noise level                       | 32 dB                    |
| Interactive                       | No                       |
| Noise level (economic mode)       | 28 dB                    |
| <b>Multimedia</b>                 |                          |
| Built-in speaker(s)               | Yes                      |
| RMS rated power                   | 10 W                     |
| <b>Design</b>                     |                          |
| Product type                      | Standard throw projector |
| Product colour                    | Black                    |
| Placement                         | Ceiling                  |
| <b>Display</b>                    |                          |
| Built-in display                  | No                       |
| <b>Power</b>                      |                          |
| Power source                      | AC                       |
| Power consumption (standby)       | 0.5 W                    |
| Power consumption (max)           | 360 W                    |
| <b>Operational conditions</b>     |                          |
| Operating temperature (T-T)       | 0 - 40 °C                |
| Operating relative humidity (H-H) | 10 - 90%                 |
| <b>Weight &amp; dimensions</b>    |                          |
| Weight                            | 5.7 kg                   |
| Width                             | 405 mm                   |

|                             |                    |
|-----------------------------|--------------------|
| Depth                       | 99 mm              |
| Height                      | 283 mm             |
| Package width               | 560 mm             |
| Package depth               | 274 mm             |
| Package height              | 430 mm             |
| Package weight              | 8.1 kg             |
| Logistics data              |                    |
| Harmonized System (HS) code | 85286200           |
| Other features              |                    |
| Native resolution           | 1920 x 1080 pixels |