iiyama ProLite B1980S-B1 computer monitor 48.3 cm (19") 1280 x 1024 pixels VGA LED Black

Gamintojas: **IIYAMA** · Modelis: **B1980S-B1** · EAN: **4948570125425** · Prekės kodas: **721182**



177.89€

Kaina su PVM


Be PVM: **147.02€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 48.3 cm (19") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ HDMI DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 75 Hz Response time: 3 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 1280 x 1024 pixels VGA Panel type: TN
- ✓ Energy efficiency class (SDR): D ErP CE, REACH, RoHS, TÜV mark, UKCA, WEEE










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903







Aprašymas

Designed for business, this LED-backlit monitor features 150mm height adjustability and screen rotation, allowing you to position the screen perfectly for ergonomic posture and optimal viewing comfort. With a 3ms response time and high contrast, the B1980S is ideal for a wide range of business applications. sRGB and gamma correction functions ensure precise adjustment of even the finest color nuances. Additionally, the monitor is equipped with integrated speakers for added convenience.

Techninė specifikacija

Display	
Display diagonal	48.3 cm (19")
Display resolution	1280 x 1024 pixels
Native aspect ratio	5:4
Display technology	LED
Touchscreen	No
HD type	VGA
Panel type	TN
Response time	3 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Contrast ratio (dynamic)	12000000:1
Viewing angle, horizontal	170°
Viewing angle, vertical	160°
Pixel pitch	0.294 x 0.294 mm
Horizontal scan range	30 - 80 kHz
Viewable size, horizontal	37.6 cm
Viewable size, vertical	30.1 cm
Display diagonal (metric)	48 cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%
Multimedia	
Built-in speaker(s)	Yes
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Business
Product colour	Black
Ports & interfaces	
HDMI	Yes
HDMI ports quantity	1
DisplayPorts quantity	1
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	-60 - 60°
Tilt adjustment	Yes
Tilt angle range	5 - 23°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian
Power	
Energy efficiency class (SDR)	D

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	10.9 kWh
Power consumption (typical)	12 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	411 mm
Depth (with stand)	245.5 mm
Height (with stand)	603 mm
Weight (with stand)	4.5 kg
Width (without stand)	411 mm
Depth (without stand)	245.5 mm
Height (without stand)	453 mm
Packaging data	
Package width	490 mm
Package depth	162 mm
Package height	416 mm
Package weight	5.6 kg
Package type	Box
Packaging content	
Cables included	AC, HDMI
Sustainability	
Sustainability certificates	ErP
Other features	
Packaging content	quick start guide, safety guide
Weight	4.5 kg
Width	411 mm
Depth	245.5 mm
Compliance certificates	CE, REACH, RoHS, TÜV mark, UKCA, WEEE

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.


www.shopro.lt · info@shopro.lt · +370 693 39903

User controls	picture adjust (contrast, brightness, i-Style colour, ACR, Eco, OD, X-Res technology), image setup (blue light reducer, sharpness), colour settings (gamma, 6-axis, colour temp.), audio settings (volume, mute), OSD settings (H. position, V. position, OSD time, OSD rotate, language), extra (reset, DDC/CI control, signal select, HDMI range, opening logo, power LED, information)
Control panel	Power, Menu, + / Volume, -/ Eco, Signal Select (Auto)

Matmenys ir svoris

Matmenys (I × P × A)	49.00cm × 42.00cm × 16.00cm

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **D** A-G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet
- Vaizdo įrašas youtube.com/watch?v=nVW4eaMMxZI

Gamintojo ir saugos informacija

MANUFACTURER

iiyama International
Wijkermeerstraat 8, 2131 HA Hoofddorp, NL
iiyama.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt