

Brother HL-L9470CDN laser printer Colour 2400 x 600 DPI A4

Gamintojas: **BROTHER** · Modelis: **HLL9470CDNRE1** · EAN: **4977766813976** · Prekės kodas: **721215**



1 175,90 €

Kaina su PVM

Be PVM: **971,82 €**

Sandėlyje



Prekė internetu

Nuskuenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Print up to 40ppm pages per minute
- ✓ 8.76cm Colour Touchscreen LCD
- ✓ 1GB Internal memory
- ✓ 520 Sheet paper input tray expandable to 26
- ✓ 12,000 pages (BK), 9,000 pages (CMY) inbox toners*



Aprašymas

The HL-L9470CDN is a high-speed, high-volume A4 colour laser printer with a low cost of ownership. The high inbox toner considerably reduces print spend, together with robust build quality and excellent glossy print quality makes the HL-L9470CDN the ideal print partner for your business. With the simple, modern design comes impressive expansion options including a mailbox for sorting documents, staple finisher and additional paper trays adapting to your specific needs. Together with: Integrated NFC reader Expanded external print storage Product Upgrades Secure Print Plus, Barcode Print Plus Gigabit network as standard with optional 2.4/5GHz Wi-Fi module Optional Mailbox and Staple Finisher Fully compatible with 3rd party print management and document management solutions including Kofax, YSoft and more *Approx declared toner yield value in accordance with ISO/IEC 19798

Techninė specifikacija

Specifications

Sandėlio grupė Laser Printers [+325][-167]

Printing

Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	2400 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	40 ppm
Duplex printing mode	Auto
Print speed (colour, normal quality, A4/US Letter)	40 ppm
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm
Warm-up time	20 s
Time to first page (black, normal)	10 s
Time to first page (colour, normal)	10 s
Watermark printing	Yes
Secure printing	Yes
N-up printing	2, 4, 6, 9, 16
Booklet printing function	Yes

Features

Maximum duty cycle	150000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	BR-Script 3, PCL 5c, PCL 5e, PCL 6, PDF 1.7, XPS
Recommended duty cycle	0 - 15000 pages per month
Number of PCL fonts	73
Number of PostScript fonts	66
Number of bitmap fonts	12
Linear (1D) barcodes supported	Codabar, Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN 128, EAN-13, EAN-8, GS1 DataBar, GS1 DataBar Expanded, GS1 Databar Limited, ISBN, MSI, PDF417, POSTNET, UPC-A, UPC-E
Country of origin	China

Input & output capacity

Total number of input trays	2
Total input capacity	620 sheets
Total output capacity	250 sheets

Paper tray 1 input capacity	520 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Bond paper, Envelopes, Glossy paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Envelopes sizes	C5, Com-10, DL
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 230 g/m ²
Multi-Purpose Tray media weight	60 - 230 g/m ²
Auto Document Feeder (ADF) media weight	60 - 230 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
USB connector	USB Type-A / USB Type-B
Optional connectivity	Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi Direct	Yes
Near Field Communication (NFC)	Yes
Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, EAP-FAST, EAP-MD5, EAP-PEAP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/ v3, ICMP, Web Services (Print), CIFS client, SNTP client, LDAP
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, LDAP

Mobile printing technologies

Apple AirPrint, Brother iPrint & Scan, Mopria Print Service

Performance

Internal memory	1000 MB
Internal storage capacity	8 GB
Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	56.5 dB
Sound pressure level (quiet mode)	53 dB
Sound power level (printing)	68.8 dB
Sound power level (standby)	30.2 dB

Design

Market positioning	Home & office
Product colour	White
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	8.89 cm (3.5")
Control type	Touch

Power

Power consumption (printing)	770 W
Power consumption (max)	1080 W
Power consumption (ready)	85 W
Power consumption (off)	0.04 W
Energy Star Typical Electricity Consumption (TEC)	0.662 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS

Operational conditions

Operating temperature (T-T)	10 - 32 °C
Storage temperature (T-T)	0 - 40 °C

Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	628 mm
Depth	634 mm
Height	557 mm
Weight	29.5 kg
Packaging data	
Package width	557 mm
Package depth	628.2 mm
Package height	633.5 mm
Package weight	34.7 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	12000 pages
Included cartridge capacity (CMY)	9000 pages
Bundled software	Brother iPrint&Scan, Brother Utilities, Easy setup
Logistics data	
Pallet gross height	14.2 cm
Pallet gross weight	156.8 kg
Master (outer) cases per pallet	4 pc(s)
Layers per pallet	2 pc(s)
Products per pallet	4 pc(s)
Technical details	
Master (outer) cases per pallet layer	2 pc(s)
Pallet type	800 x 1200 mm
Other features	
Spare part retention	5 year(s)