

ICY BOX IB-377-C31 HDD/SSD enclosure Black 3.5"

Gamintojas: **ICY BOX** · Modelis: **IB-377-C31** · EAN: **4250078166450** · Prekės kodas: **722026**



42,89 €

Kaina su PVM

Be PVM: **35,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ For 3.5" SATA III (6 Gbit/s) HDD/SSD
- ✓ Interface to PC: USB 3.1/Type-C™, UASP, up to 10 Gbit/s
- ✓ HDD capacity unlimited
- ✓ Plug & Play and HotSwap
- ✓ Incl. Type-C™ to Type-C™ cable
- ✓ Supports Windows®, macOS



Aprašymas

Subtle Elegance

The IB-377-C31 consists of a striking yet simple blend of highly polished aluminum and sandblasted plastic. Thus it is good looking but also very light and easy to handle.

Always at the ready

Thanks to Plug & Play and HotSwap you can connect the enclosure and you are just one click away from your files. To be sure, one glance at the blue lightning LED is enough to assure the IB-377-C31 is ready for usage.

USB 3.1 (Gen 2) with Type-C™

With the technology of USB 3.1, even higher data transfer rates are now achieved. Also, USB 3.1 is downwards compatible, with the corresponding cables or adapters. The data rate of up to 10 Gbit/s is supported by the included USB 3.1 Type-C™ cable and only needs a suitable end device in the form of a PC, tablet, or the like.

Techninė specifikacija

Specifications	
Sandėlio grupė	Cases [+302][-69]
Storage	
Storage drive size	3.5"
Supported storage drive interfaces	Serial ATA, Serial ATA II, Serial ATA III
Number of storage drives supported	1
Hot-swap	Yes
Ports & interfaces	
USB connectivity	Yes
USB version	3.2 Gen 2 (3.1 Gen 2)
USB connector type	USB Type-C
USB connector gender	Female
USB ports quantity	1
DC-in jack	Yes
Design	
Product type	HDD/SSD enclosure
Product colour	Black
Material	Aluminium
LED indicators	HDD, Power
On/off switch	Yes
Certification	CE, FCC
Number of 3.5" bays	1
Performance	
Data transfer rate	10 Gbit/s
UASP support	Yes
Plug and Play	Yes
Country of origin	China
Power	
Power source type	DC
External power adapter	Yes
AC adapter input voltage	100 - 240 V
AC adapter output voltage	12 V
AC adapter output current	2 A

Power consumption (max)	24 W
-------------------------	------

System requirements

Windows operating systems supported	Yes
-------------------------------------	-----

Linux operating systems supported	Yes
-----------------------------------	-----

Mac compatibility	Yes
-------------------	-----

Mac operating systems supported	Yes
---------------------------------	-----

Weight & dimensions

Width	30 mm
-------	-------

Depth	203 mm
-------	--------

Height	115 mm
--------	--------

Weight	270 g
--------	-------

Package width	230 mm
---------------	--------

Package depth	130 mm
---------------	--------

Package height	90 mm
----------------	-------

Package weight	700 g
----------------	-------

Packaging content

AC adapter included	Yes
---------------------	-----

Cables included	USB Type-C
-----------------	------------

Stand included	Yes
----------------	-----

Manual	Yes
--------	-----

Logistics data

Harmonized System (HS) code	84718000
-----------------------------	----------

Master (outer) case width	500 mm
---------------------------	--------

Master (outer) case length	470 mm
----------------------------	--------

Master (outer) case height	280 mm
----------------------------	--------

Master (outer) case gross weight	14 kg
----------------------------------	-------

Products per master (outer) case	20 pc(s)
----------------------------------	----------

Matmenys ir svoris

Svoris	0,61kg
--------	--------