

LevelOne WUA-0617 network card WLAN 300 Mbit/s

Gamintojas: **LEVEL ONE** · Modelis: **WUA-0617** · EAN: **4015867237984** · Prekės kodas: **722051**



14,90 €

Kaina su PVM

Be PVM: **12,31 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Provides wireless speeds of up to 300Mbps on 2.4 GHz frequency band
- ✓ Compatible with IEEE 802.11b/g/n wireless standards
- ✓ Supports WEP, WPA and WPA2 encryption with IEEE 802.1x for high level security
- ✓ Provides 2dBi detachable antenna
- ✓ Comes with a USB cradle to allow flexible placement for optimal wireless signal

Aprašymas

Upgrade your wireless to 802.11n TechnologyWith the recent developments in wireless home networking, the newest technology is now available to end users at an affordable price. Compared to the older 802.11g standard, the LevelOne N Wireless USB Adapter uses the 802.11n standard to offer fast speeds of up to 300 Mbps.Stream and share files wirelesslyThe LevelOne N Wireless USB Adapter offers users a simple way to connect to their local network for quickly accessing and sharing the Internet, transfer files, videos, music or photos. For work or entertainment, the N Wireless USB Adapter is a reliable and secure solution for any notebook or desktop computer that needs wireless connectivity. Network speeds vary according to network equipment, network set-up and environmental influencing factors.

Techninė specifikacija

Specifications

Sandėlio grupė USB Sticks [+45][−37]

Ports & interfaces

Connectivity technology Wireless

Host interface USB

Interface	WLAN
USB version	2
Network	
Maximum data transfer rate	300 Mbit/s
Wi-Fi	Yes
Wi-Fi band	Single-band (2.4 GHz)
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
WLAN data transfer rates supported	300 Mbit/s
Modulation	CCK, DBPSK, OFDM
Security algorithms	WEP, WPA, WPA2
Design	
Internal	No
Product colour	Black
Antenna	Yes
Antenna design	External
Antenna direction type	Omni-directional
Antenna gain level (max)	2 dBi
LED indicators	Activity, Link
Receiver sensitivity	802.11b Middle Channel : -57.14dBm (Vertical), -52.77dBm (Horizontal) 802.11g Middle Channel : -59.39dBm (Vertical), -56.71dBm (Horizontal) 802.11n HT20 Middle Channel : -58.27dBm (Vertical), -58.06dBm (Horizontal) 802.11n HT40 Middle Channel : -54.04dBm (Vertical), -59.04 dBm (Horizontal)
Power	
Output voltage	5 V
USB powered	Yes
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 75 °C
Operating relative humidity (H-H)	10 - 95%
Storage relative humidity (H-H)	10 - 95%
Weight & dimensions	
Width	146 mm

Depth	20 mm
Height	10 mm
Packaging content	
Quick installation guide	Yes
Technical details	
Compliance certificates	CE, RoHS