

Conceptronic DONN20G 10-in-1 USB 3.2 Gen 1 Docking Station, HDMI, VGA, USB-A 5Gbps, USB-C 5Gbps, SD, TF/MicroSD, Audio, GbE LAN, 100W USB PD

Gamintojas: **CONCEPTRONIC** · Modelis: **DONN20G** · EAN: **4015867237861** · Prekės kodas: **722053**



68,90 €

Kaina su PVM

Be PVM: **56,94 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10-in-1 USB-C to HDMI/VGA/USB-C PD/USB-A 5Gbps/USB-A 5Gbps/SD/TF/GbE/Audio multiport adapter
- ✓ Supports HDMI resolution up to 4K 30Hz
- ✓ Supports VGA resolution up to 1080P 60Hz
- ✓ Support VGA & HDMI simultaneously
- ✓ Supports USB Power Delivery (PD) up to 100W
- ✓ Provides a Gigabit Ethernet port with speeds up to 1000Mbps
- ✓ Supports Wake-on-LAN feature to startup computers remotely
- ✓ Features SD 3.0 and MicroSD/TF 3.0 slots, supporting simultaneous reading and writing of two cards
- ✓ USB 3.2 Gen 1 SuperSpeed (5Gb/s)
- ✓ 3.5mm audio combo jack for headphones and microphone



Aprašymas

This 10-in-1 Docking Station expands your device's USB Type-C capacity with HDMI/VGA/USB-C PD/USB-A 5Gbps/USB-C 5Gbps/SD/TF/GbE/AUX ports. It provides an easy way to connect an HDTV, monitor, or projector to any USB-C device, including smartphones, portable gaming consoles, MacBooks, Chromebook Pixels, or similar late-model laptops with USB-C ports. The multiport video adapter allows you to mirror or extend content on two additional monitors simultaneously (1 x HDMI, 1 x VGA), creating a dual-screen workstation. Ideal for home entertainment, office presentations, and classroom teaching.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Docks [+118][-14]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
HDMI ports quantity	1
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HDMI version	1.4
VGA (D-Sub) ports quantity	1
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes
Performance	
Product colour	Grey
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
HD type	4K Ultra HD
Maximum digital resolution	3840 x 2160 pixels
Maximum refresh rate	60 Hz
Country of origin	China
Power	
Power source type	USB
USB cable length	0.25 m

Software

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Mobile operating systems supported	Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1

Operational conditions

Operating temperature (T-T)	0 - 45 °C
-----------------------------	-----------

Weight & dimensions

Width	58 mm
Depth	14.5 mm
Height	116 mm
Weight	94 g

Packaging data

Package width	95 mm
Package depth	20 mm
Package height	200 mm
Package weight	130 g

Packaging content

Quick start guide	Yes
-------------------	-----

Logistics data

Products per master (outer) case	40 pc(s)
Master (outer) case width	400 mm
Master (outer) case length	220 mm
Master (outer) case height	225 mm
Master (outer) case gross weight	5.86 kg
Harmonized System (HS) code	8517623500
Pallet gross width	120 cm
Pallet gross length	80 cm
Pallet gross height	112.5 cm