

Canon PIXMA TS4151i Inkjet A4 1200 x 1200 DPI 14 ppm Wi-Fi

Gamintojas: **CANON** · Modelis: **7181C026** · EAN: **4549292258165** · Prekės kodas: **722263**



61,90 €

Kaina su PVM

Be PVM: **51,16 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Inkjet Colour printing
- ✓ 1200 x 1200 DPI
- ✓ A4 14 ppm
- ✓ Colour copying Colour scanning
- ✓ Canon PRINT Business, Canon Easy-PhotoPrint, Mopria Print Service
- ✓ Wi-Fi
- ✓ 5.2 kg



Techninė specifikacija

Printing

Print technology	Inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	14 ppm
Print speed (colour, normal quality, A4/US Letter)	9 ppm

Time to first page (black, normal)	7.5 s
Time to first page (colour, normal)	9.5 s
Borderless printing	Yes
Copying	
Copying	Colour copying
Time to first copy (black, normal)	18 s
Maximum number of copies	99 copies
Scanning	
Scanning	Colour scanning
Optical scanning resolution	1200 x 2400 DPI
Scanner type	Flatbed scanner
Maximum scan area	216 x 297 mm
Output colour depth	8 bit
Features	
Duplex functions	Print
Number of print cartridges	2
Input & output capacity	
Total number of input trays	1
Total input capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
ISO A-series sizes (A0...A9)	A4
ISO B-series sizes (B0...B9)	B5
Photo paper sizes	10x15,13x18,18x25,20x25
Paper tray media weight	64 - 265 g/m ²
Network	
Wi-Fi	Yes
Wi-Fi standards	802.11g, Wi-Fi 4 (802.11n), 802.11b, 802.11a
Security algorithms	WPA-PSK, WPA2-PSK, WPA3-SAE, AES
Mobile printing technologies	Canon PRINT Business, Canon Easy-PhotoPrint, Mopria Print Service
Performance	
Sound pressure level (printing)	47 dB
Design	
Product colour	White, Grey

Built-in display	Yes
Power	
Power consumption (standby)	1.5 W
Power consumption (off)	0.1 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 7, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 15.0 Sequoia
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Mobile operating systems supported	iOS, iPadOS, Android
Other operating systems supported	ChromeOS
Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Operating temperature (T-T)	15 - 30 °C
Weight & dimensions	
Width	374 mm
Depth	355 mm
Height	168 mm
Weight	5.2 kg