

# ICY BOX IB-LAN100-C3 Ethernet 1000 Mbit/s

Gamintojas: **ICY BOX** · Modelis: **IB-LAN100-C3** · EAN: **4250078171621** · Prekės kodas: **723076**



## 19,90 €

Kaina su PVM

Be PVM: **16,45 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Type-C ®/USB 3.0 to RJ-45 Ethernet port
- ✓ USB 3.0 to 10/100/1000 Mbit/s Gigabit Ethernet
- ✓ No drivers required
- ✓ Supports all USB 3.0 power saving models
- ✓ Supports Wake-on-LAN and Wake-on-WAN
- ✓ Supports Windows®, macOS®, Chrome



## Aprašymas

### The new standard

USB 3.0 Type-C® connectors have two decisive advantages over the conventional forms: They are smaller and therefore made for slim notebooks and mobile devices, and it is no longer necessary to insert the plug in a certain orientation. It fits in any way, you don't even have to look at it.

### Uncompromisingly fast

The convenience of using the adapter is also evident from the fact that there is no need to purchase an additional Gigabit network card or occupy a PCI or cardbus slot! Adhering to the USB 3.0 specification, this adapter provides true 10/100/1000 Mbps transfer rates without compromise.

### No Ethernet connection available?

Then this adapter is exactly what you need: It is connected to the Type-C® interface of your PC, notebook or mobile device via a USB 3.0 Type-C® plug and connected to your LAN cable. A fast and stable internet connection is immediately available; you don't need WLAN.

## Techninė specifikacija

| Specifications                      |                                   |
|-------------------------------------|-----------------------------------|
| Sandėlio grupė                      | I/O Cards & Adapters [+365][-122] |
| Ports & interfaces                  |                                   |
| Connectivity technology             | Wired                             |
| Host interface                      | USB Type-C                        |
| Interface                           | Ethernet                          |
| Ethernet LAN (RJ-45) ports          | 1                                 |
| USB connector form factor           | Straight                          |
| USB version                         | 3.2 Gen 1 (3.1 Gen 1)             |
| Network                             |                                   |
| Maximum data transfer rate          | 1000 Mbit/s                       |
| Ethernet LAN                        | Yes                               |
| Ethernet interface type             | Gigabit Ethernet                  |
| Ethernet LAN data rates             | 10,100,1000 Mbit/s                |
| Wake-on-LAN ready                   | Yes                               |
| LAN controller                      | Realtek RTL8153                   |
| Design                              |                                   |
| Internal                            | No                                |
| Component for                       | PC                                |
| Product colour                      | Black                             |
| Chipset                             | Realtek RTL8153                   |
| Plug and Play                       | Yes                               |
| Country of origin                   | China                             |
| Power                               |                                   |
| USB powered                         | Yes                               |
| System requirements                 |                                   |
| Windows operating systems supported | Yes                               |
| Mac operating systems supported     | Yes                               |
| Other operating systems supported   | ChromeOS                          |
| Weight & dimensions                 |                                   |
| Width                               | 60 mm                             |
| Depth                               | 22 mm                             |
| Height                              | 15 mm                             |

|        |      |
|--------|------|
| Weight | 18 g |
|--------|------|

#### Packaging data

|               |         |
|---------------|---------|
| Package width | 1000 mm |
|---------------|---------|

|               |       |
|---------------|-------|
| Package depth | 20 mm |
|---------------|-------|

|                |       |
|----------------|-------|
| Package height | 85 mm |
|----------------|-------|

|                |      |
|----------------|------|
| Package weight | 58 g |
|----------------|------|

#### Packaging content

|        |     |
|--------|-----|
| Manual | Yes |
|--------|-----|

#### Logistics data

|                             |          |
|-----------------------------|----------|
| Harmonized System (HS) code | 85176200 |
|-----------------------------|----------|

|                           |        |
|---------------------------|--------|
| Master (outer) case width | 215 mm |
|---------------------------|--------|

|                            |        |
|----------------------------|--------|
| Master (outer) case length | 230 mm |
|----------------------------|--------|

|                            |        |
|----------------------------|--------|
| Master (outer) case height | 220 mm |
|----------------------------|--------|

|                                  |        |
|----------------------------------|--------|
| Master (outer) case gross weight | 2.3 kg |
|----------------------------------|--------|

|                                  |          |
|----------------------------------|----------|
| Products per master (outer) case | 40 pc(s) |
|----------------------------------|----------|

#### Other features

|                  |     |
|------------------|-----|
| Housing material | ABS |
|------------------|-----|

|              |         |
|--------------|---------|
| Cable length | 0.085 m |
|--------------|---------|