

ICY BOX IB-DK2245AC Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Black

Gamintojas: **ICY BOX** · Modelis: **IB-DK2245AC** · EAN: **4250078170006** · Prekės kodas: **723357**



214,90 €

Kaina su PVM

Be PVM: **177,60 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **ATTENTION:** DisplayLink driver must be installed before use. Display and connection expansion is provided by DisplayLink video compression technology
- ✓ **POWER DELIVERY:** It is possible to charge the host computer on the move thanks to Power Delivery (65 W), as long as the external power supply is connected to the docking station. This saves space, as only one power supply unit needs to be taken along
- ✓ **ADAPTER:** The docking station comes with two different USB cables. The user can then decide whether a USB Type-C cable is used or a USB Type-A cable (power delivery only via the Type-C interface)
- ✓ **VIDEO RESOLUTION:** It is possible to use two monitors with a resolution of up to 4096x2160@60 Hz. If you only want to use one monitor, you get a resolution of up to 5120x2880@60 Hz (when using two DP 1.2 cables)
- ✓ **USB:** The docking station has two USB Type-A and Type-C ports on the front, with which a transfer rate of up to 5 Gbit/s is possible. Two more Type-A ports are available at the rear



Aprašymas

High resolution

The IB-DK2245AC is equipped with four display video outputs. With triple Ultra HD displays simultaneously, the DockingStation allows you to split up the content to three display devices when the system supports the function, to mirror your primary screen, or extend the computer's desktop allowing visibility of more applications at the same time. It supports a resolution of up to 4096x2160@60 Hz for two monitors or one single 5K@60

Hz display with two cables connected via DisplayPort™ and fulfills your high resolution desires.

Big flexibility

This high-performance DockingStation can be used with both current Windows® and macOS® operating systems. Thus, the IB-DK2245AC is the perfect companion for eager travelers, business, and multimedia enthusiasts who want to be prepared for all environments.

One port

Notebooks and other mobile computers are becoming thinner and smaller. This is usually at the expense of connectivity - even the widely used RJ45 LAN port or multiple USB ports are often omitted, as are video connections, which are required by many display devices. The IB-DK2245AC offers a large selection of ports and can eliminate this lack permanently.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Docks [+118][-14]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	0
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
HDMI ports quantity	2
Microphone in	Yes
Headphone outputs	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
DisplayPorts quantity	2
DisplayPort version	1.2
Combo headphone/mic port	No
Headphone connectivity	3.5 mm
Line-in	Yes
Line-out	Yes
DC-in jack	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes

Performance

Product colour	Black
Card reader integrated	No
Data transfer rate	5 Gbit/s
HD type	5K Ultra HD
Maximum digital resolution	5120 x 2880 pixels
Maximum refresh rate	60 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
On/off switch	Yes
Housing material	Acrylonitrile butadiene styrene (ABS), Polycarbonate (PC)
Country of origin	China

Power

Power source type	DC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	2 A
Power supply	100 W
Output voltage	20 V
Output current	5 A

Software

Windows operating systems supported	Yes
Mac operating systems supported	Yes

Weight & dimensions

Width	83 mm
Depth	224 mm
Height	26 mm
Weight	342 g

Packaging data

Package width	100 mm
Package depth	270 mm
Package height	135 mm
Package weight	1.36 kg

Packaging content

Cables included	AC, USB Type-A to USB Type-C, USB Type-C to USB Type-C
AC adapter included	Yes
Manual	Yes
Logistics data	
Products per master (outer) case	10 pc(s)
Master (outer) case width	285 mm
Master (outer) case length	520 mm
Master (outer) case height	300 mm
Master (outer) case gross weight	13.6 kg
Harmonized System (HS) code	84718000