Kingston Technology IronKey Vault Privacy 50 USB atmintukas 64 GB USB A tipo 3.2 Gen 1 (3.1 Gen 1) Juoda, Mėlyna

Gamintojas: **KINGSTON** · Modelis: **IKVP50/64GB** · EAN: **740617329162** · Prekės kodas: **724042**



122,90 €

Kaina su PVM

Be PVM: **101,57 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 64 GB USB A tipo 3.2 Gen 1 (3.1 Gen 1)
- ✓ Skaitymo laikas: 250 MB/s Rašymo laikas: 180 MB/s
- ✓ Forma: Dangtelis
- ✓ Juoda, Mėlyna
- ✓ Apsauginis slaptažodis
- ✓ 1 vnt

Aprašymas

Kingston IronKey™ Vault Privacy 50 series are premium USB Type-A and USB Type-C®* drives that provide enterprise-grade security with FIPS 197 certified AES 256-bit hardware-encryption in XTS mode, including safeguards against BadUSB with digitally-signed firmware and against brute force password attacks. VP50 has been penetration tested***** (pen tested) for enterprise-grade security. Because it provides encrypted storage under

the user’s physical control, the VP50 series is superior to using the internet and Cloud services to safeguard data.

Vault Privacy 50 supports multi-password options (Admin, User and One-Time Recovery) with Complex or Passphrase modes. This enhances the ability to recover access to the data if one of the passwords is forgotten. Traditional Complex mode allows for passwords from 6-16 characters using 3 out of 4 character sets. The new Passphrase mode allows for a numeric PIN, sentence, list of words or even lyrics from 10 to 64 characters long. Admin can enable a User and a One-Time Recovery password, or reset the User password to restore data access. To aid in password entry, the “eye” symbol can be enabled to reveal the typed-in password, reducing typos that lead to failed login attempts. Brute force attack protection locks out User or One-Time Recovery passwords if 10 invalid passwords are entered in a row, and crypto-erases the drive if the Admin password is entered incorrectly 10 times in a row.

To protect against potential malware on untrusted systems, both Admin and User can set Read-Only mode to write-protect the drive; additionally, the built-in virtual keyboard shields passwords from keyloggers or screenloggers.

Organisations can customise and configure VP50 series drives with a product ID (PID) for integration with standard endpoint management software to meet corporate IT and cybersecurity requirement through Kingston’s Customisation Programme.

Small and medium businesses can use the Admin role to manage their drives locally, e.g. use admin to configure or reset employee User or One-Time Recovery Passwords, recover data access on locked drives and comply with laws and regulations when forensics are required.

Vault Privacy 50 offers fast dual-channel performance on all capacities. The drive is waterproof with IPX8 rating****, TAA compliant and assembled in the USA.

Hardware-encrypted USB drive for data protection

Safeguard important data with FIPS 197 certified XTS-AES 256-bit encryption. Built-in protections against BadUSB, brute force attacks and pen tested for enterprise-grade security.

Multi-password option for data recovery

Enable Admin, User and One-Time Recovery passwords. Admin can reset a User password and create a One-Time Recovery password to restore User’s access to data. Brute force attack protection locks out User or One-Time Recovery passwords if 10 invalid passwords are entered in a row, and crypto-erases the drive if the Admin password is entered incorrectly 10 times in a row.

New Passphrase mode

Select between Complex or Passphrase password mode. Passphrases can be a numeric PIN, sentence with space characters, list of words or even lyrics – from 10 to 64 characters long.

Dual read-only (write-protect) settings

Avoid malware attacks with a forced Read-Only mode set by Admin for User, or a session-based Read-Only mode set by Admin or User.

Locally manage drives for small and medium businesses

Use Admin role to locally manage employee User and One-Time Recovery passwords, recover data access on locked drives, and comply with laws and regulations when forensics are required.

Additional security features

Reduce failed login attempts and frustration by enabling “eye” button to view the password typed. Use virtual keyboard to shield password entry from keyloggers and screenloggers.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Veikimo charakteristikos	
Pajėgumas	64 GB
Įrenginio sąsaja	USB A tipo
USB versija	3.2 Gen 1 (3.1 Gen 1)
Skaitymo laikas	250 MB/s
Rašymo laikas	180 MB/s
Suderinamos operacinės sistemos	Windows 11, 10, macOS 12.x – 15.x
Konstrukcija	
Forma	Dangtelis
Produkto spalva	Juoda, Mėlyna
Apsaugos ypatybės	Atsparus vandeniui
Pakabinimo žiedas	Taip
Tarptautinės apsaugos (IP) kodas	IPX8
Atsparumas vandeniui iki	1,2 m
Sertifikavimas	FIPS 197
Saugumas	
PIN kodu apsaugota prieiga	Taip
Apsauginis slaptažodis	Taip
Apsaugos algoritmų palaikymas	256-bit AES-XTS, FIPS 197
Techninės įrangos šifravimas	Taip
Rašymo apsaugos jungiklis	Taip
Tik skaitymo funkcija	Taip
Apsauga nuo puolimo grubios jėgos metodu	Taip
Naudotojo ir administratoriaus vaidmenys	Taip
Valdymo funkcijos	Slaptažodžio nustatymas iš naujo
Svoris ir matmenys	
Plotis	21,9 mm
Ilgis	77,9 mm
Aukštis	12 mm
Svoris	15 g
Pakuotės duomenys	
Pakuotės plotis	129,5 mm
Pakuotės gylis	12,9 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Pakuotės aukštis	184,2 mm
Paketo svoris	35,02 g
Pakuotės tipas	Lizdinė pakuotė
Pakuotės turinys	
Kiekis pakuotėje	1 vnt
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 50 °C
Sandėliavimo temperatūros norma (T-T)	-20 - 85 °C
Kitos savybės	
Kilmės šalis	Kinija, Taivanas
Logistikos duomenys	
Gaminių skaičius pagrindinėje (išorinėje) dėžėje	8 vnt
Pagrindinės (išorinės) dėžės plotis	135,9 mm
Pagrindinės (išorinės) dėžės ilgis	203,2 mm
Pagrindinės (išorinės) dėžės aukštis	69,8 mm
Pagrindinės (išorinės) dėžės bendrasis svoris	358,34 g
Darniosios sistemos (DS) kodas	84717070
Matmenys ir svoris	
Matmenys (I × P × A)	18,00cm × 13,00cm × 2,00cm

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas 1 objects.icecat.biz/objects/99942070_37313772.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/99942070_42519867.mp4
- Vaizdo įrašas 3 objects.icecat.biz/objects/99942070_42519868.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Kingston Technology

ATSAKINGAS ASMUO ES

Kingston Technology Deutschland GmbH
Leonrodstraße 56, D-80636 München, DE
kingston.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt