

CLUB3D Travel Charger 100W GaN technology, Four port USB Type-A(2x) and -C(2x), Power Delivery(PD) 3.0 Support

Gamintojas: CLUB 3D · Modelis: CAC-1912EU · EAN: 8719214472542 · Prekės kodas: 724062



90,90 €

Kaina su PVM

Be PVM: 75,12 €

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ GaN technology
- ✓ 100W of output power in total:
- ✓ Power Delivery(PD) 3.0Support
- ✓ Accurate limited current output and over current protection(OCP)
- ✓ Overload protection and over voltage protection(OVP)
- ✓ Short circuit protection(SCP)
- ✓ Over temperature protection and remove the fault conditon auto-recovery(OTP)
- ✓ Compliant with CE, FCC standards
- ✓ Portable and convenient to use
- ✓ Specially designed for your USB Type-C supported devices



Aprašymas

The Club3D CAC-1912 Travel Charger 100W GaN technology, Four port USB

Type-A(2x) and -C(2x), Power Delivery(PD) 3.0 Support is a high-performance and fashionable design travel charger. It is equipped with four USB connectors that are for output interfaces, this product allows four devices to be charged at the same time. And the two USB Type-A ports can convey 2.4A each to total 3.4A. The USB Type-C port is specially designed for notebooks with a USB Type-C Host connection for a total 18W (5V/3A,9V/2A) output. The top USB Type-C port is specially designed for the USB Type-C notebooks with total 65W-100W (5~15V/3A,20V/3.25A,20V/5A) output. The maximum power output for single USB Type-C port is 100W. It is suitable to charge mobile phones, tablets and laptops. The unique design makes your life simpler and easier.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Chargers [+263][-61]
Performance	
Charger type	Indoor
Charger compatibility	Universal
Power source type	AC
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
Power protection features	Over current, Short circuit
Brand compatibility	Universal
Design	
Product colour	Black
On/off switch	No
LED indicators	Yes
Plug and Play	Yes
Gallium nitride (GaN) transistors	Yes
Power	
Input voltage	100 - 240 V
Input frequency	50 / 60 Hz
Input current	2.4 A
Weight & dimensions	
Width	80.5 mm
Depth	80 mm
Height	29.5 mm
Weight	284 g
Packaging data	
Package width	110 mm
Package depth	130 mm
Package height	55 mm
Package weight	368 g

Package type

Box

Packaging content

Quantity per pack

1 pc(s)

Certificates

Compliance certificates

CE, Federal Communications Commission (FCC), RoHS