

Lindy DST-Mini XT 810, USB-C Laptop Mini Docking Station with Single Display (8K) or Dual Display (4K60) and 100W Pass-Through Charging

Gamintojas: LINDY · Modelis: 43392 · EAN: 4002888433921 · Prekės kodas: 724093



119,90 €

Kaina su PVM

Be PVM: 99,09 €

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects an HDMI and/or a DisplayPort display, USB peripherals and power over a single cable
- ✓ Supports 8K 30Hz for a single display or 4K 60Hz for two displays (MST)*
- ✓ Integrated 3 port USB SuperSpeed 10Gbps Hub (2 x Type A, 1 x Type C)
- ✓ USB Power Delivery capable up to 100W
- ✓ 2 year warranty



Aprašymas

The DST-Mini XT 810 is a high performance, multifunctional solution for connecting laptops, tablets or mobile phones to a range of interfaces including an 8K 30Hz DisplayPort or HDMI display or two displays simultaneously at 4K 60Hz*, using a single cable. It also supports video resolutions of 4K 120Hz, making it the ideal tool for high resolution video editing or game streaming.

This docking station delivers a whole host of capable ports to connect your devices into your workflow. With SuperSpeed USB and Ethernet, you can expect to have a blazing fast experience and improve your productivity whilst the Card Readers (SD and Micro-SD) allow you to expand your storage

capacity beyond that of your device. Through a single USB-C cable, connect to multiple SuperSpeed 10Gbps USB Type A or Type C ports, a 3.5mm combined headphone jack, Gigabit Ethernet, (Micro-) SD card slots, DisplayPort and HDMI.

The Docking Station also supports Power Delivery 3.0 up to 100W for charging the connected laptop. A power supply is not included. The dock can be used with the power supply supplied with the laptop or a power supply can be purchased separately.**

This USB-C Laptop Mini Docking Station is compatible with computers featuring the USB Type C port with support for DisplayPort 1.4 Alternate Mode, i.e. USB4 or USB 3.2 as well as Thunderbolt 3 or TB4 host devices. DST-Mini XT 801 comes in a stylish aluminium case and is optimally designed to place the laptop on it with rubber feet at the top and bottom to ensure a secure hold. It is designed to improve ergonomics and assist with the heat dissipation from notebooks by creating more space for the fans to operate.

*Please note that macOS does not support MST.

** Please note that the Docking Station requires 15W for its own operation.

Techninė specifikacija

Specifications	
Sandėlio grupė	Notebook Docks [+118][-14]
Ports & interfaces	
Connectivity technology	Docking
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
HDMI ports quantity	1
Headphone outputs	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4a
Combo headphone/mic port	Yes
Headphone connectivity	3.5 mm
HDCP	Yes
HDCP version	1.4/2.2
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1

Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes
Performance	
Product colour	Anthracite
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	10 Gbit/s
Maximum digital resolution	7680 x 4320 pixels
Number of displays supported	2
Maximum refresh rate	120 Hz
Plug and Play	Yes
Housing material	Aluminium
Certification	CE, FCC, REACH & RoHS, CP65
Power	
Power source type	USB
Power connector	USB Type-C
Power supply	15 W
USB cable length	0.36 m
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 70 °C
Operating relative humidity (H-H)	0 - 85%
Weight & dimensions	
Width	270 mm
Depth	45 mm
Height	16 mm
Weight	224 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	365 mm
Package depth	93 mm
Package height	35 mm
Package weight	330 g
Packaging content	

Manual	Yes
--------	-----

Technical details

Warranty period	2 year(s)
-----------------	-----------

Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
-------------------------	--

Sustainability

Sustainability compliance	Yes
---------------------------	-----