

Canon imageFORMULA DR-S250N Sheet-fed skaitytuvas 600 x 600 DPI A4 Juoda

Gamintojas: **CANON** · Modelis: **6383C003** · EAN: **4528472111544** · Prekės kodas: **724291**



614,90 €

Kaina su PVM

Be PVM: **508,18 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Skenerio tipas: Sheet-fed skaitytuvas 600 x 600 DPI
- ✓ Spalvotas nuskaitymas Abipusis skenavimas
- ✓ Įmontuotas ekranas
- ✓ A4 Palaikomas skenavimo medijos tipas: Vizitinė kortelė, Plastikinė kortelė
- ✓ Maksimalus skenavimo dydis: 216 x 356 mm
- ✓ Jutiklio tipas: CIS
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ Maitinimo tipas: AC 22 W



Aprašymas

Make sharing easy with this powerful A4 desktop scanner and maximise the ability to work productively in different office environments. Support hybrid working with an adaptable networked device, enhance the workforce experience and enable secure, simple and flexible scanning.

Transform scanning with an innovative, feature packed device

An easy-to-use automatic document scanner that can help you enhance hybrid working by scanning with smartphones, tablets, PCs, Mac devices and Chromebooks. Enjoy driverless operation thanks to supporting web scanning and avoid the need for software installation.

Maximise efficiency in your hybrid working environment

The digital transformation of your working environment is at your fingertips. Save time with web scanning from a wide range of devices and the CaptureOnTouch Lite Web browser-based application. Organise your document batches using the intuitive CaptureOnTouch Pro Canon scanner software.

Make sharing easy for everyone

Ideal for offices and shared spaces, this scanner provides flexible connectivity and helps to improve collaboration. The powerful direct scanning function allows you to select the most convenient destination for your workflow and save documents in multiple formats. Simply choose whether to use your smartphone, tablet, computer or the scanner device. Quickly scan images directly to Teams & Slack group chats or select whether to send your documents to email, shared folders, FTP and more.

Experience greater flexibility

Use the USB cable to connect your personal device or enjoy the simplicity of having this network scanner by using the LAN. Scan from any location thanks to browser scanning and save documents on your smartphone by capturing the QR code that will appear on the device when you want.

Enhance quality and productivity

Experience a fast scanning speed of 50ppm, create and save editable and searchable documents with the optical character recognition. Produce high quality output with the colour enhancement feature and achieve high quality results of photo and readability of text using the 'document with photo' scan mode.

Improve sustainability

Support the environment by using this highly-durable, EPEAT Gold certified device with low power consumption, packed with reusable materials and built with high level of recycled plastics.

Techninė specifikacija

Nuskaitymas	
Maksimalus skanavimo dydis	216 x 356 mm
Optinė nuskaitymo skiriamoji geba	600 x 600 DPI
Abipusis skanavimas	Taip
Spalvotas nuskaitymas	Taip
Konstrukcija	
Skenerio tipas	Sheet-fed skaitytuvas

Įmontuotas ekranas	Taip
Produkto spalva	Juoda
Veikimo charakteristikos	
Jutiklio tipas	CIS
Šviesos šaltinis	RGB LED
Popieriaus tiekimas	
Didžiausias ISO A serijos popieriaus dydis	A4
Palaikomas skenavimo medijos tipas	Vizitinė kortelė, Plastikinė kortelė
Medijos storis (min.)	0,04 mm
Kortelės storis (maks.)	0,3 mm
Maksimalus skenavimo plotis	21,6 cm
Maksimalus skenavimo ilgis	35,6 cm
Ryšys	
USB prievadas	Taip
USB versija	3.2 Gen 1 (3.1 Gen 1)
Tinklas	
Ethernet LAN jungtis	Taip
Energijos valdymas	
Maitinimo tipas	AC
Energijos suvartojimas	22 W
Energijos suvartojimas (off)	0,1 W
AC įėjimo dažnis	50/60 Hz
Miego režimas	Taip
Įėjimo įtampa	220 - 240 V
Energijos suvartojimas (sleep mode)	1,6 W
Svoris ir matmenys	
Plotis	291 mm
Ilgis	267 mm
Aukštis	242 mm
Svoris	3,4 kg
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	10 - 32,5 °C
Darbo santykinės drėgmės diapazonas	20 - 80%
Kitos savybės	

Atitikties sertifikatai

RoHS

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Canon

Shimomaruko 3-chome, Ohta-ku 30-2, 146-8501
Tokyo, JP
global.canon

ATSAKINGAS ASMUO ES

Canon Nederland N.V.

Brabantlaan 2, 5216 TV Hertogenbosch, NL
canon.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt