

Brother HL-L5210DNTT laser printer 1200 x 1200 DPI A4

Gamintojas: **BROTHER** · Modelis: **HLL5210DNTTG2** · EAN: **4002352013734** · Prekės kodas: **724301**



638,90 €

Kaina su PVM

Be PVM: **528,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Business Laser
- ✓ 1200 x 1200 DPI
- ✓ Printing colours: Black
- ✓ A4 48 ppm
- ✓ Duplex printing Direct printing
- ✓ USB port Ethernet LAN Near Field Communication (NFC)
- ✓ LCD Built-in display
- ✓ Total number of input trays: 3 Total input capacity: 870 sheets Total output capacity: 150 sheets
- ✓ Internal memory: 256 MB



Techninė specifikacija

Specifications

Sandėlio grupė Laser Printers [+325][-167]

Printing

Colour	No
Print technology	Laser
Duplex printing	Yes

Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	48 ppm
Duplex printing mode	Auto
Duplex print speed (black, normal quality, A4/US Letter)	24 ppm
Time to first page (black, normal)	6.7 s
Watermark printing	Yes
Secure printing	Yes
N-up printing	4, 9, 16, 25
Booklet printing function	Yes
Features	
Printing colours	Black
Number of print cartridges	1
Page description languages	BR-Script 3, Epson FX, PCL 6, PDF
Recommended duty cycle	0 - 5000 pages per month
Printer fonts	Bitmap, PCL, PostScript
Number of PCL fonts	73
Number of PostScript fonts	66
Number of bitmap fonts	12
Linear (1D) barcodes supported	Codabar, Code 128, Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN 128, EAN-13, EAN-8, GS1 DataBar, GS1 DataBar Expanded, GS1 Databar Limited, ISBN, MSI, PDF417, POSTNET, UPC-A, UPC-E
Input & output capacity	
Total number of input trays	3
Total input capacity	870 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	250 sheets
Paper tray 2 input capacity	520 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Envelopes, Letterhead, Plain paper, Recycled paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Non-ISO print media sizes	Folio, Legal, Letter
JIS B-series sizes (B0...B9)	B5

Envelopes sizes	C5, Com-10, DL, Monarch
Custom media width	69.8 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 163 g/m ²
Multi-Purpose Tray media weight	60 - 230 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Optional connectivity	Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Near Field Communication (NFC)	Yes
Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client, Syslog
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, Syslog
Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Mopria Print Service
Performance	
Internal memory	256 MB
Sound pressure level (printing)	54 dB
Sound pressure level (duplex printing)	54 dB
Sound pressure level (quiet mode)	50 dB
Sound power level (printing)	70.7 dB
Sound power level (standby)	49 dB
Design	
Market positioning	Business
Product colour	Black, White
Built-in display	Yes
Display	LCD

Colour display	No
Control type	Buttons
Power	
Power consumption (printing)	670 W
Power consumption (ready)	430 W
Power consumption (standby)	31 W
Power consumption (off)	0.05 W
Energy Star Typical Electricity Consumption (TEC)	0.59 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 11
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	35 - 85%
Weight & dimensions	
Width	373 mm
Depth	388 mm
Height	421 mm
Weight	16.6 kg
Packaging data	
Package width	485 mm
Package depth	450 mm
Package height	902 mm
Package weight	21.6 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	3000 pages
Bundled software	Brother iPrint & Scan Desktop, Easy Setup

Other features

Emulations	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7
Spare part retention	5 year(s)

Matmenys ir svoris

Matmenys (I × P × A)	87,00cm × 51,00cm × 50,00cm
----------------------	-----------------------------