

LogiLink USB 3.0 hub, 4x USB-A, 5 Gbit/s, 2-in-1 connection cable, silver

Gamintojas: **LOGILINK** · Modelis: **UA0445** · EAN: **4052792076790** · Prekės kodas: **724789**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Input: 2-in-1 USB-A/USB-C 3.0 cable. USB-C male Thunderbolt 3/4 compatible
- ✓ Output: 3x USB-A, 1x SD, 1x microSD card reader
- ✓ Transfer rate: Up to 5 Gbit/s
- ✓ USB power output: 5 V/0.9 A (4.5 W max.)
- ✓ Device protection: overcurrent, overvoltage and reverse current
- ✓ Supports SD/SDHC and microSD memory cards
- ✓ Max. Memory card capacity: 2 TB
- ✓ Compatibility: Windows, Mac OS, iPad OS, iOS, Chrome OS, Android and Linux
- ✓ Housing material: Aluminium
- ✓ Colour: Silver



Aprašymas

Expand the functionality of your device in an instant with the LogiLink USB-C 3-port hub with card reader. This compact and portable solution is ideal for instantly adding three USB-A ports as well as an SD and microSD card reader to your USB-C or Thunderbolt 3/4-enabled laptop, smartphone or tablet. Thanks to the versatile 2-in-1 connection cable, you can connect the hub to both modern USB-C and conventional USB-A devices.

Techninė specifikacija

Specifications

Sandėlio grupė USB Hubs [+541][-77]

Ports & interfaces

Ports quantity	5
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-A + Type-C
Hub interfaces	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	3
Card reader integrated	Yes
Card reader slot	2
Compatible memory cards	SD, MicroSD (TransFlash)

Features

Data transfer rate	5000 Mbit/s
Product colour	Grey
Housing material	Aluminium
Overload protection	Yes
Overcurrent protection	Yes
Plug and Play	Yes

Power

Power supply type	USB
Power consumption (max)	4.5 W
Input voltage	5 V
Input current	0.9 A

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	MacOS
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS, iOS, iPadOS

Weight & dimensions

Width	99 mm
Depth	23 mm
Height	165 mm
Weight	46.5 g

Packaging data

Quantity per pack	1 pc(s)
Package width	75 mm
Package depth	25 mm
Package height	138 mm
Package weight	68 g
Package type	Box
Packaging content	
Interface adapters included	USB Type-C female - USB Type-A male
Manual	Yes
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	20 - 90 °C
Technical details	
Compliance certificates	CE, UKCA