GIGABYTE B650 AORUS ELITE AX ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 12+2+2 Phases Digital VRM, up to 8000MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2x2

Gamintojas: **GIGABYTE** · Modelis: **B650 A ELITE AX ICE** · EAN: **4719331859374** · Prekės kodas: **725255**



198,90 €

Kaina su PVM

Be PVM: **164,38 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AMD Socket AM5 Supports AMD Ryzen 7000/ Ryzen 8000/ Ryzen 9000 Series Processors
- ✓ Unparalleled Performance Twin 12+2+2 Phases Digital VRM Solution
- ✓ Dual Channel DDR5 4*DIMMs with AMD EXPO & Intel XMP Memory Module Support
- ✓ Superfast Storage 1*PCIe 5.0 x4 and 2*PCIe 4.0 x4 M.2 Connectors
- ✓ Advanced Thermal Design & M.2 Thermal Guard To Ensure VRM Power Stability & 25110 M.2 SSD Performance
- ✓ EZ-Latch PCIe x16 Slot & M.2 Connectors with Quick Release & Screwless Design
- ✓ Fast Networks 2.5GbE LAN & Wi-Fi 6E
- ✓ Extended Connectivity HDMI, DP, Front USB-C 20Gb/s, Rear USB-C 10Gb/s
- ✓ Smart Fan 6 Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- ✓ Q-Flash Plus Update BIOS Without Installing the CPU, Memory and Graphics Card

Aprašymas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Techninė specifikacija

Specifications	
Sandėlio grupė	Consumer Motherboards [+213][-37]
Processor	
Processor manufacturer	AMD
Processor socket	Socket AM5
Compatible processor series	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series
Maximum number of SMP processors	1
Supported processor sockets	Socket AM5
Memory	
Supported memory types	DDR5-SDRAM
Number of memory slots	4
Maximum internal memory	256 GB
Memory slots type	DIMM
Memory channels	Dual-channel
ECC compatibility	Non-ECC
Supported memory clock speeds	8000,7800,7600,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz
Supported memory clock speed (max)	8000 MHz
Unbuffered memory	Yes
Maximum internal memory per slot	64 GB
Storage controllers	
Supported storage drive interfaces	M.2, SATA III
Supported storage drive types	HDD & SSD
Number of HDDs supported	4
Number of storage drives supported	7
RAID support	Yes
RAID levels	0, 1, 10
Graphics	
Parallel processing technology support	Not supported
Maximum resolution	4096 x 2160 pixels

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

HDCP	Yes
DirectX version	12
Internal I/O	
USB 2.0 connectors	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors	1
USB 3.2 Gen 2 (3.1 Gen 2) connectors	0
Number of SATA III connectors	4
USB 3.2 Gen 2x2 connectors	1
Front panel audio connector	Yes
Front panel connector	Yes
ATX Power connector (24-pin)	Yes
CPU fan connector	Yes
Number of CPU fan connectors	2
Number of chassis fan connectors	4
Peripheral (Molex) power connectors (4-pin)	1
EPS power connector (8-pin)	Yes
Number of EPS power connectors (8-pin)	1
TPM connector	Yes
12V power connector	Yes
Number of water pump connectors	2
RGB LED pin header	Yes
Number of RGB LED pin headers	4
Rear panel I/O ports	
USB 2.0 ports quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	0
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Ethernet LAN (RJ-45) ports	1
VGA (D-Sub) ports quantity	0
HDMI ports quantity	1
DVI-D ports quantity	0
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Headphone outputs	1
Line-in	Yes
Microphone in	Yes
WiFi-AP antenna jack	2
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Ethernet interface type	2.5 Gigabit Ethernet
LAN controller	Realtek RTL8125
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN controller model	Realtek RTL8852CE
Bluetooth	Yes
Bluetooth version	5.3
Features	
Component for	PC
Motherboard form factor	ATX
Motherboard chipset family	AMD
Motherboard chipset	AMD B650
Audio output channels	7.1 channels
Audio chip	Realtek ALC897
Product colour	White
PC health monitoring	Fan, Temperature, Voltage, Water cooling
Cooling type	Passive
Power source type	ATX
Windows operating systems supported	Windows 10 x64, Windows 11 x64
Expansion slots	
PCI Express x16 (Gen 3.x) slots	2
PCI Express x16 (Gen 4.x) slots	1
Number of M.2 (M) slots	3
1st M.2 largest key size	25110
1st M.2 highest PCI Express generation	5
2nd M.2 largest key size	25110
2nd M.2 highest PCI Express generation	4
3rd M.2 largest key size	25110

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

3rd M.2 highest PCI Express generation	4
BIOS	
BIOS type	UEFI AMI
BIOS memory size	256 Mbit
ACPI version	5
Clear CMOS jumper	Yes
Desktop Management Interface (DMI) version	2.7
System Management BIOS (SMBIOS) version	2.7
Logistics data	
Country of origin	China
Products per shipping (inner) case	1 pc(s)
Battery	
Battery weight	3 g
Lithium weight per battery	0.07 g
Number of battery cells	1
Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Battery type	CR2032
Packaging data	
Package width	335 mm
Package depth	270 mm
Package height	80 mm
Package weight	2.33 kg
Weight & dimensions	
Width	305 mm
Depth	244 mm
Height	35 mm
Packaging content	
Batteries included	Yes
Antenna included	Yes
Screws included	Yes
Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
Technical details	
Warranty period	3 year(s)
Matmenys ir svoris	

Matmenys (I × P × A)	34,00cm × 27,00cm × 8,00cm
Svoris	2,06kg

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903