

Lindy 200m Fibre Optic USB 3.0 Extender

Gamintojas: **LINDY** · Modelis: **42707** · EAN: **4002888427074** · Prekės kodas: **725277**



444,90 €

Kaina su PVM

Be PVM: **367,69 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Extends USB 3.0 connections up to 200m
- ✓ Supports transfer rates up to 5Gbps
- ✓ Low RFI/EMI for sensitive environments
- ✓ Plug and Play installation
- ✓ 2 year warranty



Aprašymas

The Lindy 200m Fibre Optic USB 3.0 Extender supports far longer distances than standard copper cables, using standard 'off the shelf' LC duplex fibre, whilst retaining SuperSpeed transfer rates of up to 5Gbps.

The Extender is a two part hardware solution comprising of a transmitter that connects directly to your computer and receiver that connects to the USB peripheral.

Since the Extender uses fibre optic cable this rules out the possibility of any electrical interference on the extended signal and makes it the perfect solution for sensitive environments.

Ideal for remote desktop links, industrial control, surveillance and external storage applications the Extender gives long distance access to many devices.

For added convenience the Fibre Optic USB 3.0 cable is supplied with a power supply, which can be connected should additional power be required.
Please note: this product is not backwards compatible with USB 2.0 or USB 1.1

Techninė specifikacija

Specifications	
Sandėlio grupė	USB Hubs [+541][[-77]
Features	
Type	AV transmitter & receiver
Maximum transfer distance	200 m
LED indicators	Yes
Material	Metal
Product colour	Black
Certification	CE, UKCA, FCC, RoHS, REACH
Ports & interfaces	
Connectivity technology	Wired
DC-in jack	Yes
Power	
Power source type	DC
Operating voltage	5 V
Input current	3 A
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 80%
Weight & dimensions	
Width	32 mm
Depth	75 mm
Height	25 mm
Weight	181 g
Packaging content	
Quick start guide	Yes
Manual	Yes
Technical details	
Connector 1	LC

Connector 2

LC