

Brother TD-2350DSAH300 label printer Direct thermal 300 x 300 DPI 152 mm/sec Wired & Wireless Ethernet LAN Wi-Fi Bluetooth

Gamintojas: **BROTHER** · Modelis: **TD2350DSAH300Z1** · EAN: **4977766834780** · Prekės kodas: **725520**



903,89 €

Kaina su PVM

Be PVM: **747,02 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 152 mm/sec print speed
- ✓ 300dpi print resolution.
- ✓ USB type C, serial, Wi-Fi & Bluetooth connectivity
- ✓ Space saving design
- ✓ Free label editing software - P-touch editor
- ✓ Optional accessories including cutter and peeler



Aprašymas

Increasing productivity and reducing costs are key priorities in any workplace. And when it comes to label printing, the TD-2350DSAH300 combines proven desktop printer performance with the versatility to operate in multiple locations, helping you to achieve greater efficiencies across your business. The TD-2350DSAH300 works as a standalone printing solution with its 3.5" colour touch screen display and Wi-Fi connectivity. The Bluetooth connectivity allows for setup and configuration with a smartphone or tablet using the Mobile Deploy App. Whilst wireless connectivity removes the need of cables for the network. With a range of specialised features and high-quality print resolutions, the TD-2D is the perfect label printer for retail price mark down labels and food traceability ingredient labels – where you need to print high-quality labels on the move using the carry handle.

Techninė specifikacija

Specifications

Sandėlio grupė	Laser Printers [+325][-167]
----------------	-----------------------------

Printing

Print technology	Direct thermal
Colour	No
Maximum resolution	300 x 300 DPI
Print speed	152 mm/sec
Maximum printing width	6.3 cm

Paper handling

Maximum label length	3 m
Maximum roll diameter	12.7 cm
Core diameter	1.27 cm

Ports & interfaces

Connectivity technology	Wired & Wireless
Ethernet LAN	Yes
Wi-Fi	Yes
USB port	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth	Yes

Performance

Page description languages	DPL, EPL2, ESC P, ZPL
Internal memory	64 MB
Built-in barcodes	AZTECCODE, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Data Matrix, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, MaxiCode, PDF417, POSTNET, QR Code, UPC-A, UPC-E
Number of fonts	10

Design

Product colour	Black, Grey
Built-in display	Yes
Colour display	Yes
Control type	Buttons, Touch

Power

AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
AC adapter output voltage	24 V

AC adapter output current	3.6 A
USB port voltage	5 V
USB port current	3 A
Power source type	AC
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Server operating systems supported	Windows Server 2016, Windows Server 2019, Windows Server 2022
Operational conditions	
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Weight & dimensions	
Width	181 mm
Depth	306 mm
Height	325 mm
Weight	2.09 kg
Packaging data	
Package width	306 mm
Package depth	181 mm
Package height	325 mm
Package weight	3.12 kg
Packaging content	
Cables included	AC, USB
Logistics data	
Pallet gross height	17.8 cm
Pallet gross weight	630 kg
Master (outer) cases per pallet	20 pc(s)
Master (outer) cases per pallet layer	4 pc(s)
Layers per pallet	5 pc(s)
Products per pallet	60 pc(s)
Technical details	
Pallet type	800 x 1200 mm
Other features	

Country of origin	Vietnam
Warranty period	3 year(s)
Spare part retention	5 year(s)