

# AOC G4 CQ32G4VE computer monitor 80 cm (31.5") 2560 x 1440 pixels Quad HD LCD Black, Grey

Gamintojas: **AOC** · Modelis: **CQ32G4VE** · EAN: **4038986182164** · Prekės kodas: **726562**



## 204,90 €

Kaina su PVM

Be PVM: **169,34 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 80 cm (31.5") Black, Grey
- ✓ 2560 x 1440 pixels Quad HD Panel type: Fast VA
- ✓ HDMI HDMI version: 2.0 DisplayPorts quantity: 1 DisplayPort version: 1.4
- ✓ Energy efficiency class (SDR): F CE
- ✓ Screen shape: Curved
- ✓ Warranty period: 3 year(s)
- ✓ Maximum refresh rate: 180 Hz Response time: 1 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 0.5 ms



## Aprašymas

### Ready to install your new incredible 32-inch curved monitor, CQ32G4VE

The 32" QHD curved display offers an unparalleled gaming experience, with a brilliant 2560x1440 resolution and a fluid 180Hz refresh rate. This monitor features a 1500R curvature with a fast VA panel with 1ms GtG and HDR10 compatibility, resulting in spectacular graphics and rich colors. With a 0.5ms MPRT and a small input lag, you may experience near-instant responsiveness and G-Menu customization allows you to personalize your settings. This monitor is your ticket to dominating the competition.

Techninė specifikacija

| Specifications                     |                           |
|------------------------------------|---------------------------|
| Sandėlio grupė                     | Flat Screens [+271][-238] |
| Display                            |                           |
| Display diagonal                   | 80 cm (31.5")             |
| Display resolution                 | 2560 x 1440 pixels        |
| Native aspect ratio                | 16:9                      |
| Display technology                 | LCD                       |
| Touchscreen                        | No                        |
| HD type                            | Quad HD                   |
| Panel type                         | Fast VA                   |
| Response time                      | 1 ms                      |
| Screen shape                       | Curved                    |
| Contrast ratio (typical)           | 3500:1                    |
| Maximum refresh rate               | 180 Hz                    |
| Display number of colours          | 16.7 million colours      |
| LED backlight                      | Yes                       |
| Backlight type                     | W-LED                     |
| Display brightness (typical)       | 300 cd/m²                 |
| Response time measurement type     | GTG (Gray to Gray)        |
| Response time (MPRT)               | 0.5 ms                    |
| Anti-glare screen                  | Yes                       |
| Screen curvature rating            | 1500R                     |
| Contrast ratio (dynamic)           | 80000000:1                |
| Viewing angle, horizontal          | 178°                      |
| Viewing angle, vertical            | 178°                      |
| Pixel pitch                        | 0.2724 x 0.2724 mm        |
| Pixel density                      | 93.24 ppi                 |
| Horizontal scan range              | 30 - 270 kHz              |
| Vertical scan range                | 48 - 180 Hz               |
| Viewable size, horizontal          | 69.7 cm                   |
| Viewable size, vertical            | 39.2 cm                   |
| Display diagonal (metric)          | 80 cm                     |
| High Dynamic Range (HDR) supported | Yes                       |

|                                     |                               |
|-------------------------------------|-------------------------------|
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) |
| DDC/CI                              | Yes                           |
| Haze rate                           | 25%                           |
| Colour gamut standard               | DCI-P3, sRGB                  |
| sRGB coverage (typical)             | 124.2%                        |
| DCI-P3 coverage                     | 92.4%                         |
| Performance                         |                               |
| AMD FreeSync refresh rate range     | 48 - 180 Hz                   |
| VESA Adaptive Sync support          | Yes                           |
| Flicker-free technology             | Yes                           |
| Low Blue Light technology           | Yes                           |
| Game mode                           | Yes                           |
| Design                              |                               |
| Market positioning                  | Gaming                        |
| Product colour                      | Black, Grey                   |
| Frameless design                    | Yes                           |
| Front bezel colour                  | Black                         |
| Detachable stand                    | Yes                           |
| Ports & interfaces                  |                               |
| HDMI                                | Yes                           |
| Headphone out                       | Yes                           |
| HDMI ports quantity                 | 2                             |
| HDMI version                        | 2                             |
| DisplayPorts quantity               | 1                             |
| DisplayPort version                 | 1.4                           |
| Headphone outputs                   | 1                             |
| Headphone connectivity              | 3.5 mm                        |
| Ergonomics                          |                               |
| VESA mounting                       | Yes                           |
| Cable lock slot                     | Yes                           |
| Panel mounting interface            | 100 x 100 mm                  |
| Cable management                    | Yes                           |
| Cable lock slot type                | Kensington                    |
| Tilt adjustment                     | Yes                           |

|                                         |                                                                                                                                                                                                 |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tilt angle range                        | -3 - 21°                                                                                                                                                                                        |
| On Screen Display (OSD)                 | Yes                                                                                                                                                                                             |
| On Screen Display (OSD) languages       | Simplified Chinese, Traditional Chinese, Czech, Dutch, English, Finnish, French, German, Italian, Japanese, Korean, Croatian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Ukrainian |
| Number of OSD languages                 | 19                                                                                                                                                                                              |
| Plug and Play                           | Yes                                                                                                                                                                                             |
| <b>Power</b>                            |                                                                                                                                                                                                 |
| Energy efficiency class (SDR)           | F                                                                                                                                                                                               |
| Energy efficiency class (HDR)           | G                                                                                                                                                                                               |
| Energy consumption (SDR) per 1000 hours | 32 kWh                                                                                                                                                                                          |
| Energy consumption (HDR) per 1000 hours | 55 kWh                                                                                                                                                                                          |
| Power consumption (typical)             | 35 W                                                                                                                                                                                            |
| Power consumption (standby)             | 0.5 W                                                                                                                                                                                           |
| Power consumption (max)                 | 70 W                                                                                                                                                                                            |
| Power consumption (off)                 | 0.3 W                                                                                                                                                                                           |
| AC input voltage                        | 100 - 240 V                                                                                                                                                                                     |
| AC input frequency                      | 50/60 Hz                                                                                                                                                                                        |
| Input current                           | 1.5 A                                                                                                                                                                                           |
| Power supply type                       | Internal                                                                                                                                                                                        |
| Energy efficiency scale                 | A to G                                                                                                                                                                                          |
| <b>Operational conditions</b>           |                                                                                                                                                                                                 |
| Operating temperature (T-T)             | 0 - 40 °C                                                                                                                                                                                       |
| Storage temperature (T-T)               | -25 - 55 °C                                                                                                                                                                                     |
| Operating relative humidity (H-H)       | 10 - 85%                                                                                                                                                                                        |
| Storage relative humidity (H-H)         | 5 - 93%                                                                                                                                                                                         |
| Operating altitude                      | 0 - 5000 m                                                                                                                                                                                      |
| Non-operating altitude                  | 0 - 12192 m                                                                                                                                                                                     |
| <b>Weight &amp; dimensions</b>          |                                                                                                                                                                                                 |
| Width (with stand)                      | 709.4 mm                                                                                                                                                                                        |
| Depth (with stand)                      | 265.3 mm                                                                                                                                                                                        |
| Height (with stand)                     | 523.8 mm                                                                                                                                                                                        |
| Weight (with stand)                     | 7.31 kg                                                                                                                                                                                         |
| Width (without stand)                   | 709.4 mm                                                                                                                                                                                        |
| Depth (without stand)                   | 96.6 mm                                                                                                                                                                                         |

|                             |                                                                             |
|-----------------------------|-----------------------------------------------------------------------------|
| Height (without stand)      | 425.2 mm                                                                    |
| Weight (without stand)      | 6.24 kg                                                                     |
| Packaging data              |                                                                             |
| Package width               | 840 mm                                                                      |
| Package depth               | 188 mm                                                                      |
| Package height              | 527 mm                                                                      |
| Package weight              | 9.91 kg                                                                     |
| Packaging content           |                                                                             |
| Cables included             | AC, HDMI, DisplayPort                                                       |
| DisplayPort cable length    | 1.8 m                                                                       |
| HDMI cable length           | 1.8 m                                                                       |
| Sustainability              |                                                                             |
| Doesn't contain             | Mercury, PVC/BFR                                                            |
| Other features              |                                                                             |
| Brand specific technologies | Crosshair                                                                   |
| Low input lag               | Yes                                                                         |
| FPS counter                 | Yes                                                                         |
| Dial point                  | Yes                                                                         |
| Shadow control              | Yes                                                                         |
| Motion blur reduction       | Yes                                                                         |
| Local dimming               | Yes                                                                         |
| Bezel thickness type        | Frameless                                                                   |
| Warranty period             | 3 year(s)                                                                   |
| Compliance certificates     | CE                                                                          |
| Certification               | WEEE,REACH compliant,RoHs compliant,CB,TUV-Bauart-Mark,ISO 9241-307,EAC,FCC |
| Matmenys ir svoris          |                                                                             |
| Matmenys (I × P × A)        | 84,00cm × 19,00cm × 52,00cm                                                 |
| Svoris                      | 9,80kg                                                                      |