

ASUS BE248CFN computer monitor 61.2 cm (24.1") 1920 x 1200 pixels WUXGA LCD Black

Gamintojas: **ASUS** · Modelis: **90LM0AJ0-B02K70** · EAN: **4711387649251** · Prekės kodas: **726595**



247,90 €

Kaina su PVM

Be PVM: **204,88 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 24.1-inch WUXGA(1920x1200) frameless IPS panel with wide viewing angles and 100% sRGB
- ✓ SmoothMotion 100Hz refresh rate delivers a seamless, tear-free visual experience
- ✓ Extensive connectivity with HDMI, USB-C, DisplayPort, DisplayPort out for daisy-chain, earphone jack, USB hub and RJ45 LAN port for the most flexibility
- ✓ USB-C port allows simple laptop docking for data transmission and video signal to the display, as well as charging the laptop via just one cable
- ✓ Ergonomic design with +35° ~ -5° tilt, ±180° swivel, ±90° pivot and 130mm height adjustments for a comfortable viewing experience
- ✓ ASUS Eye Care monitors feature TÜV Rheinland-certified Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience



Aprašymas

ASUS BE248CFN Docking Monitor - 24.1 inch, WUXGA(1920x1200), IPS, 100Hz, Frameless, USB-C Docking, RJ45, Stereo Speakers, Height Adjustable, Ergonomic Design, HDMI, Daisy-chain, Eye Care, Low Blue Light, Flicker Free, Wall Mountable, Sustainability

Enhance Your Productivity

ASUS BE248CFN is a 24.1-inch WUXGA(1920x1200) 16:10 monitor that features a frameless IPS panel for wide angle viewing to deliver incredibly

sharp imagery and stunning video playback. With fast 100Hz refresh rate and Adaptive-Sync technology to eliminate screen tearing and choppy frame rates for the smoother-than-ever experience. The integrated USB-C port supports data transfers, video signal and support 96W power delivery via one cable, comes with RJ45 provides convenient and stable network solution and alsokeep your desk area tidy. Its highly ergonomic design with tilt, swivel, pivot and height adjustments along with TÜ V Rheinland-certified Flicker-free and Low Blue Light provides a comfortable viewing experience.

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	61.2 cm (24.1")
Display resolution	1920 x 1200 pixels
Native aspect ratio	16:10
Display technology	LCD
Touchscreen	No
HD type	WUXGA
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Display brightness (typical)	350 cd/m²
Display surface	Matt
Contrast ratio (dynamic)	3000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.27 x 0.27 mm
Viewable size, horizontal	51.8 cm
Viewable size, vertical	32.4 cm
Digital horizontal frequency	30 - 130 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	61 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)

sRGB coverage (typical)	100%
-------------------------	------

Performance

NVIDIA G-SYNC	No
---------------	----

AMD FreeSync	No
--------------	----

VESA Adaptive Sync support	Yes
----------------------------	-----

Flicker-free technology	Yes
-------------------------	-----

Low Blue Light technology	Yes
---------------------------	-----

Multimedia

Built-in speaker(s)	Yes
---------------------	-----

Built-in camera	No
-----------------	----

Number of speakers	2
--------------------	---

RMS rated power	4 W
-----------------	-----

Design

Market positioning	Business
--------------------	----------

Product colour	Black
----------------	-------

Detachable stand	Yes
------------------	-----

Feet colour	Black
-------------	-------

Ports & interfaces

Built-in USB hub	Yes
------------------	-----

HDMI	Yes
------	-----

Headphone out	Yes
---------------	-----

USB hub version	3.2 Gen 1 (3.1 Gen 1)
-----------------	-----------------------

USB upstream port type	USB Type-A
------------------------	------------

Number of upstream ports	1
--------------------------	---

Number of USB Type-C upstream ports quantity	1
--	---

USB Type-A downstream ports quantity	4
--------------------------------------	---

USB Type-C DisplayPort Alternate Mode	Yes
---------------------------------------	-----

USB Power Delivery (USB PD)	Yes
-----------------------------	-----

USB Power Delivery up to	96 W
--------------------------	------

HDMI ports quantity	1
---------------------	---

HDMI version	1.4
--------------	-----

DisplayPorts quantity	2
-----------------------	---

DisplayPort version	1.4
---------------------	-----

Headphone outputs	1
-------------------	---

Headphone connectivity	3.5 mm
HDCP	Yes
Network	
Ethernet LAN	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	90 - -90°
Swivelling	Yes
Swivel angle range	180 - -180°
Tilt adjustment	Yes
Tilt angle range	35 - -5°
Power	
Energy efficiency class (SDR)	C
Energy efficiency class (HDR)	E
Energy consumption (SDR) per 1000 hours	12 kWh
Energy consumption (HDR) per 1000 hours	16 kWh
Power consumption (typical)	14.85 W
Power consumption (PowerSave)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Weight & dimensions	
Width (with stand)	531.8 mm
Depth (with stand)	211.2 mm
Height (with stand)	473.1 mm

Weight (with stand)	5.8 kg
Width (without stand)	531.8 mm
Depth (without stand)	40 mm
Height (without stand)	350 mm
Weight (without stand)	4.05 kg
Packaging data	
Package width	610 mm
Package depth	140 mm
Package height	414 mm
Package weight	8.5 kg
Package type	Box
Quantity per pack	1 pc(s)
Packaging content	
Stand included	Yes
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT Gold, Forest Stewardship Council (FSC) Mix, TCO
Other features	
Brand specific technologies	Eye Care+, SPLENDID
RJ-45 ports quantity	1
Matmenys ir svoris	
Matmenys (I × P × A)	61,00cm × 14,00cm × 42,00cm
Svoris	8,50kg