ASUS ROG Strix XG27AQWMG kompiuterio monitorius 67,3 cm (26.5") 2560 x 1440 pikseliai Quad HD OLED Juoda

Gamintojas: **ASUS** · Modelis: **90LM0BZ0-B01171** · EAN: **4711636168991** · Prekės kodas: **726613**



551,91 €

Kaina su PVM

Be PVM: **456,12 €**

Sandėlyje

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 67,3 cm (26.5") Juoda
- ✓ Aukščio reguliavimas 11 cm
- ✓ HDMI HDMI versija: 2.1 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 280 Hz Reakcijos laikas: 0,03 ms Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 2560 x 1440 pikseliai Quad HD Skydo tipas: WOLED
- ✓ Energijos vartojimo efektyvumo klasė (SDR): F Forest Stewardship Council (FSC) Mix









Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Visuals Redefine. Witness The Evolution.
The ROG Strix OLED XG27AQWMG is a 27-inch QHD TrueBlack Glossy™ Tandem OLED gaming monitor that offers sharp visuals and features tandem OLED technology that offers 15% higher peak brightness, 25% wider color volume, and a 60% longer lifespan versus previous-generation WOLED monitors. Featuring the new Neo Proximity Sensor within the ASUS OLED Care Pro suite, the monitor is able to detect when the user is away and automatically transition to a black screen to guard against panel burn-in. Thanks to a compact stand, the XG27AQWMG takes up minimal desktop space. Plus, it offers users an extensive array of connectivity options, including DisplayPort™ 1.4 (DSC), HDMI® 2.1, and USB hub.

Gaming-Changing Visuals
Tandem OLED Technology
Tandem OLED technology pushes the boundaries with unrivaled OLED performance and longevity. It boasts an innovative four-layer stacked-structure design that allows for enhanced light emission, superior color reproduction, and significantly-longer panel lifespan compared to previous OLED panels.

15% Higher Brightness

Tandem OLED technology gives monitor brightness a boost, giving the XG27AQWMG 15% brighter visuals than WOLED panels—so visuals pop off the screen with incredible intensity to bring games and movies to life. Plus, the XG27AQWMG complies with the VESA DisplayHDR™ 500 True Black standard to ensure breathtaking highlights and inky blacks for unmatched contrast and realism.

25% Larger Color Volume

The innovative four-layer stacked structure of Tandem OLED panels gives the XG27AQWMG 25% larger color volume to show off more vibrant reds, deeper blues and every shade in between—especially when gaming in HDR. Colors are more accurate, more nuanced, and more lifelike, drawing viewers deeper into the action.

60% Longer OLED Lifespan

Tandem OLED technology offers exceptional panel longevity and energy efficiency, thanks to the four-layer design. Together with the built-in heatsink, the technology provides up to 60% longer lifespan compared to previous-generation OLEDs and significantly reduces the risk of burn-in to ensure years of stunning visuals without compromise.

Supersharp and clear imagery
Exclusive TrueBlack Glossy™ OLED
The ROG Strix OLED XG27AQWMG features a new TrueBlack Glossy™ OLED panel with a zero-haze optical layer that presents deep blacks under any lighting. Its advanced anti-reflective coating reduces ambient reflections by 38% compared to previous-gen glossy WOLEDs, ensuring distraction-free gaming even in brightly lit rooms.

FOURTH-GENERATION WOLED TECHNOLOGY

Screen Protection
ASUS OLED CARE PRO
New ASUS OLED Care Pro technology provides a full set of customizable monitor settings to protect and ensure the longevity of the OLED panel. Plus, it includes the new Neo Proximity Sensor designed to guard against panel burn-in. All settings can be easily managed via DisplayWidget Center.

Neo Proximity Sensor

The built-in Neo Proximity Sensor precisely detects the user's distance from the monitor. When the user steps away, the monitor transitions to a black image to protect against panel burn-in; when the user returns, content is instantly restored onscreen. Detection distance can be customized to suit personal preference, ensuring maximum convenience and protection.
* Before activating the detection function, please ensure that the monitor sensor is properly angled and cleaned by using the bundled microfiber

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

cloth.

Pixel cleaning

Recalibrates the screen when the monitor has been active for several hours—a process that takes just a few minutes and activates automatically when the monitor is turned off*
*Do not unplug the power cord during this time as it will interrupt the pixel-cleaning process.

SCREEN MOVE

Pixel locations are slightly shifted periodically to help prevent burn-in, and users can choose between several movement levels. movement levels.

Built to Last
Worry-free OLED Monitor
ROG OLED monitors are engineered to deliver stunning visuals for years to come. An innovative custom heatsink and a unique internal airflow design improve cooling and reduce the risk of burn-in. Additionally, each ROG monitor comes with a three-year warranty.

ROG OLED Anti-Flicker

ROG-exclusive OLED Anti-Flicker technology offers three refresh rate ranges — High, Mid, Off — to reduce flicker during frame rate fluctuations and maintain an immersive gaming experience.
*Videos may be simulated and dramatized for illustrative purposes.

Compact and Ergonomic Design

The new ROG Strix OLED series monitors feature a new compact stand that’s 30% smaller than those found on previous-generation XG monitors, freeing up valuable desk space for a keyboard and mouse. The stand offers tilt, swivel, and height adjustments for the ideal viewing position. The display is also VESA wall-mount-compatible.

Aspect Ratio Control

For competitive gamers who are more familiar with smaller 1080p monitors, the XG27AQWMG can be set to replicate a 24.5-inch (esports mode), as well as other visual modes.

DisplayWidget Center

DisplayWidget Center is a powerful monitor management software designed to help users optimize, personalize, and fully utilize their display via a mouse — so there's no need to access the OSD menu. Additionally, DisplayWidget Center offers firmware update notifications and includes a direct update option. Users can also import or export display configurations for sharing.

Play Smarter with AI Assistant

The AI Assistant in XG27AQWMG includes AI Visual, Dynamic Crosshair, and Dynamic Shadow Boost. These features leverage AI technology to help gamers practice more effectively to improve their skills.

Uniform brightness

When activated, the ROG-exclusive Uniform Brightness* setting within the OSD menu decreases peak brightness to keep levels consistent for better viewing—even when changing the size of bright white windows. It also makes marathon gaming sessions much more comfortable on the eyes.

Rich Connectivity

Extensive connectivity options such as DisplayPort™ 1.4 with Display Stream Compression (DSC), two HDMI® 2.1, and USB hub for a wide array of multimedia devices.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	67,3 cm (26.5")
Ekrano rezoliucija	2560 x 1440 pikseliai
Natūralus kraštinių santykis	16:9
Ekrano technologija	OLED
Lietimui jautrus ekranas	Ne
HD tipas	Quad HD
Skydo tipas	WOLED
Reakcijos laikas	0,03 ms
Ekrano forma	Plokščias
Kontrasto santykis (tipinis)	1500000:1
Maksimalus atnaujinimo dažnis	280 Hz
Ekrano spalvų skaičius	1,073 milijardo spalvų
Ekrano ryškumas (pikinis)	1500 cd/m²
Atsako trukmės matavimo tipas	GTG (Gray to Gray)
Ekrano paviršius	Blizgus
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Pikselių žingsnis	0,229 x 0,229 mm
Matomas dydis, horizontalus	59 cm
Matomas dydis, vertikalus	33,2 cm
Horizontalus skaitmeninis dažnis	480 - 480 kHz
Vertikalus skaitmeninis dažnis	41 - 280 Hz
Palaikoma HDR	Taip
Didelio dinaminio diapazono (HDR) technologija	High Dynamic Range 10 (HDR10)
Spalvų gylis	10 bitai
Spalvų gamos standartas	DCI-P3
Spalvų gama	99,5%
DCI-P3 spalvų gama	99,5%
Veikimo charakteristikos	
NVIDIA G-SYNC	Taip

„AMD FreeSync“	Taip
NVIDIA G-SYNC tipo	G-SYNC Compatible
„AMD FreeSync“ tipo	„FreeSync Premium Pro“
„VESA Adaptive Sync“ palaikymas	Taip
Apsaugos nuo mirgėjimo technologija	Taip
Mažo kiekio mėlynos šviesos technologija	Taip
Žaidimo režimas	Taip
Multimedija	
Įmontuoti garsiakalbiai	Ne
Integruota kamera	Ne
Konstrukcija	
Pozicija rinkoje	Žaidimams
Produkto spalva	Juoda
Nuimamas stovas	Taip
Kojelių spalva	Juoda
Ryšys	
Įmontuotas USB jungčių daugiklis	Taip
HDMI	Taip
Ausinių išvestis	Taip
USB koncentratoriaus versija	3.2 Gen 1 (3.1 Gen 1)
USB A tipo žemakrypčių prievadų skaičius	2
HDMI portų kiekis	2
HDMI versija	2.1
„DisplayPort“ kiekis	1
„DisplayPort“ versija	1.2
Ausinių išvestys	1
Ausinių jungtis	3,5 mm
„USB Power Delivery“	Taip
I/O portai	DisplayPort 1.2 N/A;DisplayPort 1.4N/A;DisplayPort 2.1N/A;DisplayPort 1.4 DSCx 1;HDMI (v1.4)N/A;HDMI (v2.0)N/A;HDMI (v2.1)x 2 (FRL);Micro HDMIN/A;USB-CN/A;D-SubN/A;DVIN/A;Dual-Link DVIN/A;Earphone jack : Yes;USB Hub : 2x USB 3.2 Gen 1 Type-A;USB 3.0 (Signal)N/A;USB-C Power Delivery : N/A;SPDIF out (Optical Digital Audio Out):N/A
Ergonomija	
VESA tvirtinimo pagrindas	Taip
Kabelio spynos lizdas	Taip

Aukščio reguliavimas	Taip
Suderinama su VESA sienos tvirtinimo sistema	100 x 100 mm
Montuojamas ant sienos	Taip
Laido spynos lizdo tipas	Kensington
Reguliuojamas aukštis (maks.)	11 cm
Sukimasis	Taip
Pasukimo kampas	-90 - 90°
Sukiojamas	Taip
Pasukamas	-45 - 45°
Pokrypio reguliavimas	Taip
Posvyrio kampo intervalas	-5 - 20°

Energijos valdymas

Energijos vartojimo efektyvumo klasė (SDR)	F
Energijos vartojimo efektyvumo klasė (HDR)	G
Energijos sąnaudos (SDR) per 1000 valandų	25 kWh
Energijos sąnaudos (HDR) per 1000 valandų	50 kWh
Energijos suvartojimas	26,8 W
Energijos suvartojimas (off)	0,3 W
Energijos suvartojimas (PowerSave)	0,5 W
AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Maitinimo tipas	Išorinis
Energijos efektyvumo skalė	Nuo A iki G
Energijos suvartojimas (laukimo režimu)	0,5 W

Svoris ir matmenys

Plotis (su stovu)	605 mm
Gylis (su stovu)	188 mm
Aukštis (su stovu)	500 mm
Svoris (su stovu)	6,7 kg
Plotis (be stovo)	605 mm
Gylis (be stovo)	63 mm
Aukštis (be stovo)	368 mm
Svoris (be stovo)	4,8 kg

Pakuotės duomenys


Pakuotės plotis	780 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Pakuotės gylis	186 mm
Pakuotės aukštis	470 mm
Paketo svoris	9,1 kg
Pakuotės tipas	„Box“
Pakuotės turinys	
Pridėtas stovas	Taip
Tvarumas	
Tvarumo sertifikatai	Forest Stewardship Council (FSC) Mix
Kitos savybės	
Išskirtinės prekės ženklo technologijos	ASUS OLED Care
Šešėlių valdymas	Taip
Sertifikavimas	TÜV Flicker-free TÜV Low Blue Light (Hardware Solution) VESA AdaptiveSync Display 280Hz VESA DisplayHDR 500 True Black AMD FreeSync Premium Pro G-SYNC Compatible FSC MIX
Matomas ekrano plotas (HxV)	590,42 x 331,88 mm
Techninė informacija	
Būdingas atnaujinimo dažnis	60 Hz
Matmenys ir svoris	
Matmenys (I × P × A)	78,00cm × 19,00cm × 46,00cm
Svoris	9,30kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė F A-G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Vaizdo įrašas objects.icecat.biz/objects/137481318_70721940.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt