

ASUS ProArt PA328CGV computer monitor 81.3 cm (32") 2560 x 1440 pixels Wide Quad HD Black

Gamintojas: **ASUS** · Modelis: **90LM06R1-B01170** · EAN: **4711081005797** · Prekės kodas: **726659**



762,91 €

Kaina su PVM

Be PVM: **630,50 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 32-inch WQHD (2560 x 1440) and up to 600 nits HDR display with IPS 178° wide viewing angle panel
- ✓ International color standard 95% DCI-P3 and 100% sRGB/Rec. 709 wide color gamut
- ✓ Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
- ✓ Extensive connectivity including DP over USB-C™ with 90W Power Delivery, DisplayPort, HDMI and USB hub
- ✓ 165 Hz variable refresh rate (VRR) with FreeSync Premium Pro, providing creators smooth fast-rendering and comfortable viewing experience
- ✓ C-clamp design enlarge your workspace with tilt, swivel, pivot and height adjustments for a comfortable viewing experience



Aprašymas

ASUS ProArt Display PA328CGV Professional Monitor – 32-inch, IPS, WQHD (2560 x 1440), 165 Hz, 95% DCI-P3, 100% sRGB/Rec.709, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C, VESA DisplayHDR 600, FreeSync Premium Pro, C-clamp, Ergonomic Stand

Incomparable Color. Unlimited Creativity.

ProArt Display PA328CGV is a 32-inch monitor designed to satisfy the needs of creative professionals, from photo and video editing to graphic design. ProArt Display PA328CGV is factory calibrated and Calman Verified to deliver superb color accuracy ($\Delta E < 2$). It also provides industry-standard 95% DCI-P3 and 100% sRGB/Rec. 709 color space coverage. 165 Hz variable refresh rate (VRR) with FreeSync Premium Pro, 165 Hz

variable refresh rate (VRR) with FreeSync Premium Pro, providing creators smooth fast-rendering and comfortable viewing experience. The integrated USB-C port supports data transfers, DisplayPort and also support 90W power delivery via one cable provides convenient solution and C-clamp design keep your desk area tidy. PA328CGV makes it easy to achieve the exact look you desire quickly, easily and precisely.

Extreme clarity, superior contrast

With 77% more pixels than conventional Full HD monitors, WQHD (2560 x 1440) resolution for the superior picture quality and sharp imagery. HDR technology supports across a range of luminance to deliver a wider color range and higher contrast than traditional monitors. Up to 600 nits of brightness and VESA DisplayHDR 600 certified, delivers a brighter, more lifelike viewing experience.

Bring out the true beauty of your pictures

The ProArt display delivers industry-standard 95% DCI-P3 and 100% sRGB/Rec. 709 color gamut for rich, vivid reproduction that ensures every detail of your photos is clear and lifelike.

Smooth high frame rate

Up to a 165 Hz variable refresh rate (VRR) with FreeSync Premium Pro, allowing game developers to create fast-rendering games and conduct quality checks on one display. High frame rate brings smooth visuals delivers comfortable viewing experience.

True color, right out of box

Color professionals rely on color-accurate displays to ensure that their creations look exactly as intended. ProArt Display PA328CGV is factory calibrated and Calman Verified to guarantee industry-leading color accuracy $\Delta E < 2$. Every ProArt display undergoes stringent, meticulous testing to ensure smoother color gradation. Consumer of pro, you're assured color-accurate viewing and content-creation experiences.

Quick color-gamut adjustment

ASUS-exclusive ProArt Preset provides multiple modes for quick color-gamut adjustment. Whether you're color grading, video editing or manipulating photos, you can switch and match your needs easily.

Focus on what matters

Desk C-clamp

A convenient mounting bracket is included to help free up desk space. The bracket can clamp to the edge of almost any flat work surface, and the mounting arm of PA328CGV slips right into it.

Personalized editing experience

ASUS ProArt Palette lets you customize your display via a wide range of parameters, – all easily accessed via intuitive on-screen menus. There are also two-point grayscale sliders for all six colors, ProArt Palette empowers you to produce quickly and consistently, and makes it easy to keep your color management in check.

The USB-C that does it all

ProArt Display PA328CGV gives you unparalleled compatibility with USB-C, HDMI and DisplayPort most multimedia devices. The integrated USB-C port supports data transfers, DisplayPort and also support 90W power delivery. PA328CGV also serves as a USB hub, meaning that when you connect to it via USB-C (using C to C cable, or C to A cable), your device gains access to whatever peripherals are connected to the USB ports.

Accurate real-time on-set preview

QuickFit Plus is clever feature overlays a grid on the screen that allows to align and preview. Center marker and safety area it can real-time preview when you are on-set shooting to avoid video image beyond the screen. Ruler provides actual size of inch ruler in the edge; you also can customize the working size to fit your preference.

Protect your eyes with ASUS Eye Care technology

ASUS Ultra-Low Blue Light technology

Exclusive ASUS Ultra-Low Blue Light technology protects you from blue-light emissions that may be harmful to your vision. It offers four blue-light filter settings that are easily accessed through the on-screen menu via the hotkey.

ASUS Flicker-Free technology

ASUS Flicker-Free technology provides a more comfortable viewing experience and work environment by reducing on-screen flicker to minimize eye strain, headaches and eye fatigue when you spend long hours in front of the display.

Versatile comfort with ergonomic stand design

With an ergonomically-designed stand with tilt, swivel, pivot and height adjustments, ProArt displays provide comfortable viewing and usage experiences. The ability to pivot the screen clockwise or counterclockwise 90 degrees for use in portrait mode comes in handy when working with long documents, coding or website browsing. Furthermore, the quick-release stand makes it easy to attach the display via the integrated VESA wall mount – screw-free, so it's done in seconds!

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	81.3 cm (32")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Touchscreen	No
HD type	Wide Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	165 Hz
Display number of colours	1.073 billion colours
Backlight type	LED
Display brightness (typical)	450 cd/m²
Display surface	Matt
Contrast ratio (dynamic)	100000000:1
Dynamic contrast ratio marketing name	SmartContrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.277 x 0.277 mm
Viewable size, horizontal	70.8 cm
Viewable size, vertical	39.9 cm
Digital horizontal frequency	30 - 250 kHz
Digital vertical frequency	48 - 165 Hz

Colour gamut standard	DCI-P3
Colour gamut	95%
sRGB coverage (typical)	100%
Performance	
NVIDIA G-SYNC	No
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Graphics design
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	4
USB Power Delivery up to	90 W
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone outputs	1
Headphone connectivity	3.5 mm
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes

Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	90 - -90°
Swivelling	Yes
Swivel angle range	30 - -30°
Tilt adjustment	Yes
Tilt angle range	23 - -5°
Power	
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	40 kWh
Energy consumption (HDR) per 1000 hours	80 kWh
Power consumption (typical)	28 W
Power consumption (off)	0.5 W
Power consumption (PowerSave)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	727.1 mm
Depth (with stand)	245 mm
Height (with stand)	601.5 mm
Weight (with stand)	11.7 kg
Width (without stand)	727.1 mm
Depth (without stand)	67.7 mm
Height (without stand)	428.1 mm
Weight (without stand)	7.15 kg
Packaging data	
Package width	840 mm
Package depth	280 mm
Package height	516 mm
Package weight	16.8 kg

Other features

Certification	TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 600 AMD FreeSync Premium Pro Calman Verified
---------------	---

Logistics data

Harmonized System (HS) code	85285210
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	83,00cm × 28,00cm × 51,00cm
Svoris	15,94kg