

DELL Pro P P2426HEB 61 cm (24") LCD 1920 x 1080 pixels Full HD

Gamintojas: DELL · Modelis: DELL-P2426HEB · EAN: 5397184962916 · Prekės kodas: 726727



332,90 €

Kaina su PVM

Be PVM: 275,12 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 24" LCD IPS
- ✓ Full HD, 16:9, 1920 x 1080
- ✓ 8ms
- ✓ USB PD (90W), WebCam



Aprašymas

Collaborate effortlessly with a 23.8-inch QHD monitor featuring built-in AI-enhanced webcam, speakers, and microphone.

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	61 cm (24")
Display technology	LCD
Display resolution	1920 x 1080 pixels

HD type	Full HD
Touchscreen	No
Native aspect ratio	16:9
Panel type	IPS
LED backlight	Yes
LED backlighting type	Edge-LED
Display brightness	300 cd/m²
Native refresh rate	120 Hz
Response time	8 ms
Contrast ratio (typical)	1500:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.78 million colours
sRGB coverage (typical)	99%
Pixel pitch	0.2745 x 0.2745 mm
Active display area (W x H)	527.04 x 296.46 mm
Anti-glare screen	Yes
Camera	
Built-in camera	Yes
Megapixel (approx.)	4 MP
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	10 W
Design	
Product colour	Black
VESA mounting	Yes
Screen shape	Flat
Panel mounting interface	100 x 100 mm
Bezel width (bottom)	1.7 cm
Bezel width (side)	5.8 mm
Bezel width (top)	5.8 mm
Mounting type	Desk
Height adjustment	Yes
Height adjustment	15 cm

Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt angle range	-5 - 21°
Ports & interfaces	
HDMI ports quantity	1
DVI port	No
USB port	Yes
HDMI version	2.1
DisplayPorts quantity	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	90 W
USB charging port	Yes
Computer system	
Computer system	No
Windows operating systems supported	Yes
Mac operating systems supported	Yes
Performance	
On Screen Display (OSD)	Yes
HDCP	Yes
HDCP version	1.4
Power	
Energy efficiency class (SDR)	D
Energy consumption (SDR) per 1000 hours	15 kWh
Power consumption (typical)	14.5 W
Power consumption (max)	195 W
Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Energy efficiency scale	A to G
Power supply type	Internal
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Display width	538.6 mm
Display depth	64.1 mm
Display height	351.4 mm
Display weight	4.1 kg
Width (with stand)	538.6 mm
Depth (with stand)	186.2 mm
Height (with stand)	528.8 mm
Weight (with stand)	5.57 kg
Packaging data	
Package weight	7.9 kg
Packaging content	
Stand included	Yes
Cables included	DisplayPort, USB Type-C to USB Type-C, USB Type-A to USB Type-B
Sustainability	
Sustainability certificates	ENERGY STAR, TCO
Network	
Ethernet LAN	Yes
Wi-Fi	No
Ethernet LAN (RJ-45) ports	1
Technical details	
Compliance certificates	RoHS
Carbon footprint	
Total carbon footprint (kg of CO2e)	179
Carbon emissions, manufacturing (kg of CO2e)	86.82
Carbon emissions, logistics (kg of CO2e)	15.75
Carbon emissions, energy usage (kg of CO2e)	67.3

Carbon emissions, end-of-life (kg of CO2e)	8.95
--	------

PAIA version	GaBi version 2, 2026
--------------	----------------------

Matmenys ir svoris

Matmenys (l × P × A)	72,00cm × 14,00cm × 44,00cm
----------------------	-----------------------------

Svoris	7,94kg
--------	--------