

Epson EB-L530U Standard throw projector 5200 ANSI lumens 3LCD WUXGA (1920x1200) White

 Gamintojas: **EPSON** · Modelis: **V11HA27040** · EAN: **8715946695334** · Prekės kodas: **726850**


2 037,89 €

Kaina su PVM

 Be PVM: **1 684,21 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 5,200-lumen brightness: Crisp images and bright colours, even in well-lit rooms
- ✓ WUXGA resolution: Sharp Full HD images for excellent clarity
- ✓ Futureproofed connectivity options: 4K input support, HDMI, HDBaseT, integrated Wi-Fi and screen mirroring
- ✓ Easy, flexible installation: Lightweight and compact design with wide lens shift
- ✓ Support social distancing: Scalable display size of up to 500 inches



Aprašymas

As the market leader in 3LCD technology, Epson continues to improve its high brightness laser projectors with even smaller and more compact display solutions. The EB-L530U delivers even more effective, practical and creative display applications across a number of different industries.

Bright, cost-effective display solutions

Providing bolder, brighter, more engaging and impactful displays even in brightly-lit environments, the EB-L530U offers impressive 5,200-lumen brightness and WUXGA Full HD resolution at an affordable price. This means that users can upgrade to laser performance and reliability, with reduced power consumption, without paying a premium. It also features: 4K input support, detail enhancement technology, edge blending and wide lens shift to fit challenging installation environments. The EB-L530U is capable of up to 500-inch displays, without any reduction in clarity or vivid detail.

Enhanced connectivity

This display solution offers many different ways to connect, show multiple sources simultaneously and present wirelessly. The EB-L530U comes equipped with futureproofed connectivity options including HDMI and HDBaseT with 4K signal support, 5GHz wireless with enterprise security, upgraded Miracast, built-in media player and support for Epson's ELPWP10 wireless presentation system.

Techninė specifikacija

Specifications	
Sandėlio grupė	Projectors [+20][-22]
Projector	
Projector brightness	5200 ANSI lumens
Projection technology	3LCD
Projector native resolution	WUXGA (1920x1200)
Contrast ratio (typical)	2500000:1
Native aspect ratio	16:10
Smart projector	No
Screen size compatibility	1270 - 12700 mm (50 - 500")
Projection distance	1.44 - 23.84 m
Projection distance (wide)	1.4 - 14.8 m
Projection distance (tele)	2.4 - 23.8 m
Number of colours	1.07 billion colours
Projector brightness (economic mode)	3640 ANSI lumens
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°
Matrix size	1.7 cm (0.67")
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Focal length range	20 - 31.8 mm
Aperture range (F-F)	1.5 - 1.7
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1.6:1
Throw ratio	1.35 - 2.2:1

Horizontal lens shift range	-20 - 20%
Vertical lens shift range	-50 - 50%
Video	
Full HD	Yes
Video processing	10 bit
Video colour modes	Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode, Multi-projection
Ports & interfaces	
VGA (D-Sub) ports quantity	2
HDMI ports quantity	3
Composite video in	0
Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	0
Serial interface type	RS-232C
HDMI connector type	Full-size
HDBaseT port	Yes
USB 2.0 ports quantity	2
USB 2.0 Type-B ports quantity	1
PC Audio in	Yes
PC Audio out	Yes
AC (power) in	Yes
Network	
Smart TV	No
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN (RJ-45) ports	1
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Miracast	Yes
Storage	
Card reader integrated	No
Features	
Noise level	31 dB
Interactive	No
Noise level (economic mode)	23 dB

HDCP	Yes
Country of origin	Philippines
Password protection	Yes
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	10 W
Number of built-in speakers	1
Design	
Product type	Standard throw projector
Market positioning	Presentation
Product colour	White
Placement	Ceiling, Desktop
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	293 W
Power consumption (standby)	0.3 W
Power consumption (economy mode)	223 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Software	
Software support	via: Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Weight	8.2 kg
Width	440 mm
Depth	339 mm

Height	136 mm
Package width	540 mm
Package depth	565 mm
Package height	210 mm
Package weight	12 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	AC
Manual	Yes
Warranty card	Yes
WLAN adapter included	Yes
Technical details	
Sustainability certificates	TCO
Logistics data	
Quantity per pack	1 pc(s)
Products per pallet	14 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	14 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	85286200
Other features	
Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink
Matmenys ir svoris	
Matmenys (I × P × A)	57,00cm × 54,00cm × 21,00cm
Svoris	11,62kg