

# Epson EB-X49 3600 ANSI lumens 3LCD XGA (1024x768) White

Gamintojas: **EPSON** · Modelis: **V11H982040** · EAN: **8715946680750** · Prekės kodas: **726851**



## 526,89 €

Kaina su PVM

Be PVM: **435,45 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ High-quality bright images: 3LCD technology and equally high White and Colour Light Output
- ✓ Portable: Small and light enough to be carried and used across several rooms
- ✓ Wide connectivity options: Network-enabled and wireless capable
- ✓ Low total cost of ownership: Lamp life up to 12,000 hours in Eco mode
- ✓ Versatile and flexible control: Project from many sources with HDMI and optional wireless connectivity



## Aprašymas

### Compact display, optional wireless

Combines the versatility to be positioned just about anywhere with excellent brightness and sharpness, plus low-maintenance performance.

Presentations become effortless, with the sharp, stylish EB-X49, which offers great performance in a remarkably versatile package. Long lamp life and trusted Epson durability offer peace of mind and minimal maintenance.

### Bright, vivid content on a large scalable screen

Enjoy large scale presentations with crisp, clear text, as well as compelling imagery and video content, on screen sizes up to 300 inches. 3,600-lumen performance combines with a high contrast ratio of 16,000:1 to offer outstanding visual performance, even in well-lit rooms.

### Years of uninterrupted meetings

With a lamp life of up to 12,000 hours in Eco mode.

### Installation and placement flexibility

Automatic vertical and manual horizontal keystone correction provide greater flexibility as to where the projector can be placed in the room for distortion-free images and the wide optical zoom adds to the flexibility.

### Network and wireless (optional)

Network capability (via RJ45) and optional wireless connectivity mean the EB-X49 can be added to a company network or upgraded for wireless device access at a later stage.

### High-quality sound

This projector has a built-in 5W speaker to allow audio content to be heard clearly, without the need for additional external speakers.

## Techninė specifikacija

| Specifications                               |                           |
|----------------------------------------------|---------------------------|
| Sandėlio grupė                               | Projectors [+20][-22]     |
| Projector                                    |                           |
| Projector brightness                         | 3600 ANSI lumens          |
| Projection technology                        | 3LCD                      |
| Projector native resolution                  | XGA (1024x768)            |
| Contrast ratio (typical)                     | 16000:1                   |
| Native aspect ratio                          | 4:3                       |
| Screen size compatibility                    | 762 - 7620 mm (30 - 300") |
| Supported aspect ratios                      | 4:3                       |
| Number of colours                            | 1.07 billion colours      |
| Projector brightness (economic mode)         | 2400 ANSI lumens          |
| Vertical scan range                          | 100 - 120 Hz              |
| Keystone correction, horizontal              | -30 - 30°                 |
| Keystone correction, vertical                | -30 - 30°                 |
| Matrix size                                  | 1.4 cm (0.55")            |
| Light source                                 |                           |
| Light source type                            | Lamp                      |
| Service life of light source                 | 6000 h                    |
| Service life of light source (economic mode) | 12000 h                   |
| Lamp type                                    | UHE                       |
| Lamp power                                   | 210 W                     |
| Lens system                                  |                           |

|                                  |                                                 |
|----------------------------------|-------------------------------------------------|
| Focus                            | Manual                                          |
| Focal length range               | 16.9 - 20.28 mm                                 |
| Aperture range (F-F)             | 1.49 - 1.72                                     |
| Zoom capability                  | Yes                                             |
| Zoom type                        | Manual                                          |
| Zoom ratio                       | 1.2:1                                           |
| Throw ratio                      | 1 - 1.2:1                                       |
| Video                            |                                                 |
| Full HD                          | No                                              |
| 3D                               | No                                              |
| Video processing                 | 10 bit                                          |
| Video colour modes               | Dynamic, Cinema, Presentation, sRGB, Blackboard |
| Ports & interfaces               |                                                 |
| VGA (D-Sub) ports quantity       | 3                                               |
| HDMI ports quantity              | 1                                               |
| Composite video in               | 1                                               |
| Component video (YPbPr/YCbCr) in | 0                                               |
| DVI port                         | No                                              |
| Audio (L/R) in                   | 0                                               |
| Serial interface type            | RS-232C                                         |
| HDMI connector type              | Full-size                                       |
| S-Video inputs quantity          | 0                                               |
| USB 2.0 ports quantity           | 0                                               |
| USB 2.0 Type-B ports quantity    | 1                                               |
| PC Audio in                      | Yes                                             |
| PC Audio out                     | Yes                                             |
| PC in (D-Sub)                    | Yes                                             |
| AC (power) in                    | Yes                                             |
| Network                          |                                                 |
| Smart TV                         | No                                              |
| Ethernet LAN                     | Yes                                             |
| Ethernet LAN (RJ-45) ports       | 1                                               |
| Storage                          |                                                 |
| Card reader integrated           | No                                              |

**Features**

|                             |                                                  |
|-----------------------------|--------------------------------------------------|
| Noise level                 | 37 dB                                            |
| Noise level (economic mode) | 28 dB                                            |
| Preset modes                | Blackboard, Dynamic, Presentation, Theatre, sRGB |
| On Screen Display (OSD)     | Yes                                              |
| Country of origin           | Philippines                                      |

**Multimedia**

|                             |     |
|-----------------------------|-----|
| Built-in speaker(s)         | Yes |
| RMS rated power             | 5 W |
| Number of built-in speakers | 1   |

**Design**

|                      |                  |
|----------------------|------------------|
| Market positioning   | Portable         |
| Product colour       | White            |
| Placement            | Ceiling, Desktop |
| Cable lock slot      | Yes              |
| Cable lock slot type | Kensington       |

**Display**

|                  |    |
|------------------|----|
| Built-in display | No |
|------------------|----|

**Power**

|                                  |            |
|----------------------------------|------------|
| Power source                     | AC         |
| Power consumption (typical)      | 327 W      |
| Power consumption (economy mode) | 225 W      |
| AC input voltage                 | 100-240 V  |
| AC input frequency               | 50 - 60 Hz |

**Software**

|                  |                                                |
|------------------|------------------------------------------------|
| Software support | via: AMX, Crestron (Network), Control4, Extron |
|------------------|------------------------------------------------|

**Operational conditions**

|                                   |             |
|-----------------------------------|-------------|
| Operating temperature (T-T)       | 5 - 35 °C   |
| Storage temperature (T-T)         | -10 - 60 °C |
| Operating relative humidity (H-H) | 20 - 80%    |
| Storage relative humidity (H-H)   | 10 - 90%    |

**Weight & dimensions**

|        |        |
|--------|--------|
| Weight | 2.7 kg |
| Width  | 302 mm |

|                             |                                                        |
|-----------------------------|--------------------------------------------------------|
| Depth                       | 249 mm                                                 |
| Height                      | 87 mm                                                  |
| Package width               | 355 mm                                                 |
| Package depth               | 380 mm                                                 |
| Package height              | 160 mm                                                 |
| Package weight              | 4.12 kg                                                |
| <b>Packaging content</b>    |                                                        |
| Remote control included     | Yes                                                    |
| Batteries included          | Yes                                                    |
| Cables included             | AC, HDMI                                               |
| Quick start guide           | Yes                                                    |
| WLAN adapter included       | Yes                                                    |
| Bundled software            | EasyMP Multi PC Projection, Epson Projektor Management |
| <b>Logistics data</b>       |                                                        |
| Quantity per pack           | 1 pc(s)                                                |
| Products per pallet         | 78 pc(s)                                               |
| Pallet gross weight         | 0 g                                                    |
| Products per pallet (UK)    | 78 pc(s)                                               |
| Pallet weight (UK)          | 0 g                                                    |
| Harmonized System (HS) code | 85286200                                               |
| <b>Other features</b>       |                                                        |
| Supported network protocols | PJLink                                                 |
| <b>Technical details</b>    |                                                        |
| USB display function        | 3 in 1: Image / Mouse / Sound                          |
| <b>Matmenys ir svoris</b>   |                                                        |
| Matmenys (I × P × A)        | 37,00cm × 36,00cm × 17,00cm                            |
| Svoris                      | 4,17kg                                                 |