

HP Color LaserJet Enterprise M554dn Printer

Gamintojas: **HP** · Modelis: **7ZU81A#B19** · EAN: **194850414275** · Prekės kodas: **726908**

749,90 €

Kaina su PVM

Be PVM: **619,75 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Front-facing USB printing; Two-sided printing
- ✓ Print speed up to 33 ppm (black) and 35 ppm (colour)
- ✓ Print
- ✓ HP ImageREt 3600

Aprašymas

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto

Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	33 ppm
Duplex print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	33 ppm
Warm-up time	135 s
Time to first page (black, normal)	6.7 s
Time to first page (colour, normal)	7.6 s
Watermark printing	Yes
Secure printing	Yes

Features

Maximum duty cycle	80000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PostScript 3, PDF 1.7, PCL 5c, XPS
Recommended duty cycle	2000 - 8500 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	Japan
Replacement cartridges	HP 212A Black Original LaserJet Toner Cartridge (5,500 pages) W2120A; HP 212A Cyan Original LaserJet Toner Cartridge (4,500 pages) W2121A; HP 212A Magenta Original LaserJet Toner Cartridge (4,500 pages) W2123A; HP 212A Yellow Original LaserJet Toner Cartridge (4,500 pages) W2122A; HP 212X High Yield Black Original LaserJet Toner Cartridge (13,000 pages) W2120X; HP 212X High Yield Cyan Original LaserJet Toner Cartridge (10,000 pages) W2121X; HP 212X High Yield Magenta Original LaserJet Toner Cartridge (10,000 pages) W2123X; HP 212X High Yield Yellow Original LaserJet Toner Cartridge (10,000 pages) W2122X
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	250 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	3
Maximum input capacity	1200 sheets

Maximum output capacity	250 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 220 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	No
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Performance	
Internal memory	1024 MB
Maximum internal memory	1024 MB
Internal storage capacity	4 GB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	51 dB

Sound power level (printing)	6.4 dB
------------------------------	--------

Design

Market positioning	Business
--------------------	----------

Product colour	White
----------------	-------

Built-in display	Yes
------------------	-----

Display	LCD
---------	-----

Colour display	Yes
----------------	-----

Display diagonal	6.86 cm (2.7")
------------------	----------------

Control type	Buttons
--------------	---------

Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
---------------	---

Power

Power consumption (printing)	589 W
------------------------------	-------

Power consumption (ready)	28.5 W
---------------------------	--------

Power consumption (PowerSave)	0.07 W
-------------------------------	--------

Power consumption (off)	0.07 W
-------------------------	--------

Energy Star Typical Electricity Consumption (TEC)	0.395 kWh/week
---	----------------

AC input voltage	200 - 240 V
------------------	-------------

AC input frequency	50 Hz
--------------------	-------

System requirements

Windows operating systems supported	Windows 7 Ultimate x64, Windows 7 Ultimate, Windows 7 x64, Windows 7, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
-------------------------------------	--

Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
---------------------------------	---

Other operating systems supported	iOS, Android
-----------------------------------	--------------

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
-----------------------------	--------------

Storage temperature (T-T)	-20 - 40 °C
---------------------------	-------------

Operating relative humidity (H-H)	10 - 80%
-----------------------------------	----------

Sustainability

Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
-----------------------------	---------------------------------------

Sustainable technologies and materials	Mercury free
--	--------------

Doesn't contain	Mercury
-----------------	---------

Sustainability compliance	Yes
---------------------------	-----

Carbon footprint

Total carbon footprint (kg of CO2e)	330
Carbon emissions, manufacturing (kg of CO2e)	270
Carbon emissions, logistics (kg of CO2e)	10
Carbon emissions, end-of-life (kg of CO2e)	33
Total carbon emissions, w/o use phase (kg of CO2e)	19

Weight & dimensions

Width	458 mm
Depth	479 mm
Height	400 mm
Weight	27.5 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 1939 mm

Packaging data

Package width	600 mm
Package depth	500 mm
Package height	598 mm
Package weight	31.3 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	5500 pages
Included cartridge capacity (CMY)	3500 pages
Cables included	AC

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability); Whitelisting (loads only known good code DLLs, EXEs, etc.); Embedded Trusted Platform Module (TPM); HP Connection Inspector; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

HP GTIN (EAN/UPC) with options	(ABT) 194850414220; (ABY) 194850414237; (ACQ) 194850414251; (B13) 194850414268; (B19) 194850414275; (BAZ) 194850414282
HP GTIN (EAN/UPC)	194850414220, 194850414237, 194850414251, 194850414268, 194850414275, 194850414282
Logistics data	
Harmonized System (HS) code	84433210
Pallet gross weight	396 kg
Layers per pallet	3 pc(s)
Products per pallet	12 pc(s)
Technical details	
Master (outer) cases per pallet layer	4 pc(s)
Compliance certificates	CECP, GS mark, CCC, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-m554-printer-series/model/32885691?sku=7ZU81A&serialnumber=7ZU81A ; https://h10032.www1.hp.com/ctg/Manual/c06639460.pdf
Other features	
Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard disk space; Internet connection; or USB port; Internet browser.
Power supply type	Internal (built-in) 220V Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows Client OS (32/64-bit): Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android; Mac: Apple macOS High Sierra v10.13, Apple macOS Mojave v10.14, Apple macOS Catalina v10.15; Discrete PCL6 Printer Driver: for more information on the supported operating systems go to http://www.support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section; UPD PCL6 / PS Printer Drivers, Supported Operating systems: for more information on the supported operating systems see http://www.hp.com/go/upd
Printing	Colour printing
Processor frequency	1.2 GHz
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Tray: 102 x 148 to 216 x 356 mm
Envelope feeder	No
Acoustic power emissions (ready)	48 dB
Acoustic pressure emissions bystander (ready)	33 dB
Typical electricity consumption (TEC) number	Energy Star 3.0: 0.395 kWh/Week; Blue Angel: 1.203 kWh/Week

UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise M554dn Printer; Four preinstalled HP LaserJet toner cartridges (yield 5,500 pages black, 3,500 pages cyan, magenta, yellow composite); Toner collection unit; In-box documentation; Power Cord
Matmenys ir svoris	
Matmenys (I × P × A)	60,00cm × 59,00cm × 49,00cm
Svoris	31,30kg