HP LaserJet Pro M501dn

Gamintojas: **HP** · Modelis: **J8H61A#B19** · EAN: **725184117596** · Prekės kodas: **726921**



371,91 €

Kaina su PVM

Be PVM: **307,36 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 43 ppm
- ✓ Abipusis spauzdinimas Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ LCD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 100000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 650 lapai Bendra išvesties talpa: 250 lapai
- ✓ Vidinė atmintis: 256 MB Integruotas procesorius 1500 MHz

















Aprašymas

Put impressive print speeds and performance to work in your office. This energy-saving printer starts faster[1] and delivers security features to help guard against threats. Original HP Toner cartridges with JetIntelligence produce more pages.[2]

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	43 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Duplex print speed (black, normal quality, A4/US Letter)	34 ppm
Time to first page (black, normal)	5.8 s
Print margins (top, bottom, right, left)	5 mm
Secure printing	Yes
Features	
Maximum duty cycle	100000 pages per month
Printing colours	Black
Number of print cartridges	2
Page description languages	PostScript 3, PDF 1.7, PCLm, PWG, URF, PCL 5, PCL 6
Recommended duty cycle	1500 - 6000 pages per month
Printer fonts	Scalable, TrueType
Number of printer fonts	84
Country of origin	Brazil
Replacement cartridges	HP 87A Black Original LaserJet Toner Cartridge (8,550 yield) CF287A, HP 87X Black Original LaserJet Toner Cartridge (18,000 yield) CF287X
HP segment	Business
Input & output capacity	

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	250 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	5
Maximum input capacity	1200 sheets
Maximum output capacity	250 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5
Non-ISO print media sizes	Hagaki card, Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, DL
Photo paper sizes	10x15 cm
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 200 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Standard interfaces	Ethernet, USB 2.0
Network	
Wi-Fi	No
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	1000 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, HTTPS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Performance	
Internal memory	256 MB
Maximum internal memory	256 MB
Built-in processor	Yes
Processor frequency	1500 MHz
Sound pressure level (printing)	54 dB
Sound power level (printing)	6.8 dB
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	LCD
Display number of lines	2 lines
Control type	Buttons
Certification	CISPR 22:2008 (International) - Class A; EN 55022:2010 (EU) - Class A; EN 61000-3-2:2006+A1:2009+A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries
Power	
Power consumption (printing)	660 W
Power consumption (ready)	6.1 W
Power consumption (standby)	6.1 W
Power consumption (PowerSave)	0.7 W
Power consumption (off)	0.1 W
Energy Star Typical Electricity Consumption (TEC)	1.623 kWh/week
AC input voltage	200 - 240 V
AC input frequency	50 Hz
System requirements	
Windows operating systems supported	Windows Vista Home Basic x64, Windows Vista Home Basic, Windows Vista Home Premium x64, Windows Vista Home Premium, Windows Vista x64, Windows Vista, Windows 7 Professional x64, Windows 7 Professional, Windows 7 Home Premium x64, Windows 7 Home Premium, Windows 7 Home Basic x64, Windows 7 Home Basic, Windows 7 x64, Windows 7, Windows 8 x64, Windows 8, Windows 8.1 x64, Windows 8.1, Windows 10 x64, Windows 10
Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.10 Yosemite, MacOS

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Linux operating systems supported	Fedora 17, Fedora 18, Linux Mint 13, Linux Mint 17, Debian 6.0, Debian 7.0, Ubuntu 10.04, Ubuntu 11.10, Ubuntu 12.04, Ubuntu 12.10, Ubuntu 13.04, Ubuntu 13.10, Ubuntu 14.04, Ubuntu 14.10
Other operating systems supported	iOS, Linux, Android
Operational conditions	
Operating temperature (T-T)	15 - 32.5 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT Silver
Sustainable technologies and materials	ENERGY STAR® certified; EPEAT® rated
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	150
Carbon emissions, manufacturing (kg of CO2e)	91
Carbon emissions, logistics (kg of CO2e)	4
Carbon emissions, end-of-life (kg of CO2e)	14
Total carbon emissions, w/o use phase (kg of CO2e)	39
Weight & dimensions	
Width	418 mm
Depth	376 mm
Height	289 mm
Weight	11.6 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2481 mm
Packaging data	
Package width	497 mm
Package depth	398 mm
Package height	466 mm
Package weight	14.5 kg
Packaging content	
Warranty card	Yes
Manual	Yes
Cables included	AC
Quick installation guide	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

User guide	Yes
Bundled software	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals, HP Device Toolbox, HP Product Improvement Study; For Mac OS: Welcome Screen (directs users to HP.com or OS App Source for LaserJet Software)

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Security tools	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; SNMPv3, 802.1X, Secure Boot
HP GTIN (EAN/UPC) with options	(ABT) 725184117558; (ABU) 198415553850; (ABY) 725184117565; (ACQ) 725184117572; (B13) 725184117589; (B19) 725184117596; (BAZ) 725184117602
HP GTIN (EAN/UPC)	725184117558, 198415553850, 725184117565, 725184117572, 725184117589, 725184117596, 725184117602

Logistics data

Harmonized System (HS) code	84433210
Pallet gross weight	456.7 kg
Layers per pallet	5 pc(s)
Products per pallet	30 pc(s)

Technical details

Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	CECP
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-pro-m501-series/model/7837163?sku=J8H61A&serialnumber=J8H61A ; https://h10032.www1.hp.com/ctg/Manual/c04866085.pdf

Other features

Recommended system requirements	Compatible OS (see "Compatible Operating Systems"); CD-ROM drive or Internet connection (for software installation); Dedicated USB connection or a network connection (wired or wireless); 1 GB available hard disk space; For operating system minimum hardware requirements; see the OS manufacturer. Compatible OS (see "Compatible Operating Systems"); Internet connection (for software installation); Dedicated USB connection or a network connection (wired or wireless); 1 GB available hard disk space; For operating system minimum hardware requirements; see the OS manufacturer.
Power supply type	Built-in power supply
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A; EN 55022:2010 (EU) - Class A; EN 61000-3-2:2006+A1:2009+A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC; Other EMC approvals as required by individual countries

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Compatible operating systems	Windows OS compatible with In-Box Driver: Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc); Windows OS compatible with Universal Print Driver (from HP.com): Windows 10 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 8/8.1 all 32-bit/64-bit editions (excluding RT OS for tablets), Windows 7 all 32-bit/64-bit editions, Windows Vista all 32-bit/64-bit editions (Home Basic, Premium, Professional, etc); Mac OS (HP print drivers available from http://www.HP.com and Apple Store): OS X 10.10 Yosemite, OS X 10.9 Mavericks, OS X 10.8 Mountain Lion, OS X 10.7 Lion; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX
Printing	Mono printing
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C
Custom media sizes	Tray 1: 76.2 x 127 mm to 215.9 x 355.6 mm; Tray 2, Tray 3: 105 x 148 mm to 215.9 x 355.6 mm
Envelope feeder	No
Pallet dimensions (W x D x H) (imperial)	1198.9 x 1000.8 x 2481.6 mm (47.2 x 39.4 x 97.7")
Acoustic power emissions (ready)	40 dB
Acoustic pressure emissions bystander (ready)	25 dB
Typical electricity consumption (TEC) number	Blue Angel: 1.623 kWh/Week; Energy Star 3.0: 0.562 kWh/Week
UNSPSC-code	43212105
Box contents	HP LaserJet Pro M501; Preinstalled introductory HP LaserJet Toner Cartridge (Black: 6,000 pages); In-box documentation (installation guide, getting started guide, user's guide, support flyer, warranty guide); Printer documentation and software on CD-ROM; Software drivers and documentation on CD-ROM; CD's containing software and electronic documentation; Power cord
Matmenys ir svoris	
Matmenys (I × P × A)	49,00cm × 39,00cm × 46,00cm
Svoris	13,60kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija