

iiyama ProLite XB2493HSU-B1 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **IIYAMA** · Modelis: **XB2493HSU-B1** · EAN: **4948570126620** · Prekės kodas: **726940**



142,90 €

Kaina su PVM

Be PVM: **118,10 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5 cm (23.8") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ HDMI HDMI version: 1.4 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 120 Hz Response time: 1 ms Response time (MPRT): 1 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): C ErP, TCO CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

The ProLite XB2493HSU is perfect if you need a compact, high-performance monitor that fits seamlessly into a multi-screen workspace. The four-side ultra-slim bezel design gives you a clean, modern desk setup and uninterrupted viewing across displays. You'll enjoy sharp detail, vivid colours and wide viewing angles with the IPS panel, while the 120Hz refresh rate keeps everything smooth and responsive. Flicker-free technology and a blue light reducer support your eye comfort during long hours of use. The fully adjustable ergonomic stand helps you stay comfortable and focused, with 15cm height adjustment plus tilt, swivel and pivot functions, so you can easily set the screen to match your posture. Built-in speakers, a two-port USB hub, HDMI and DisplayPort inputs, and a headphone socket keep your workspace simple and connected. With EPEAT registration, TCO10 compliance and an Energy Label C rating, it's a smart, sustainable choice that works as hard as you do.

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	1 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	350 cd/m²
Response time (MPRT)	1 ms
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 140 kHz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%
Performance	
AMD FreeSync	Yes
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes

Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Business
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	2
Number of downstream ports	2
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	-60 - 60°
Tilt adjustment	Yes
Tilt angle range	5 - 23°
On Screen Display (OSD)	Yes

On Screen Display (OSD) languages Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian

Power

Energy efficiency class (SDR)	C
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	12 kWh
Power consumption (typical)	12 W
Power consumption (standby)	12 W
Power consumption (off)	0.3 W
AC input voltage	100 - 250 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	539 mm
Depth (with stand)	221.5 mm
Height (with stand)	497 mm
Weight (with stand)	5 kg
Height (without stand)	374 mm

Packaging data

Package width	685 mm
Package depth	126 mm
Package height	395 mm
Package weight	6.8 kg
Package type	Box
USB cable length	1.5 m

Packaging content

Cables included	AC, USB, HDMI
HDMI cable length	1.5 m
Power cable length	1.8 m

Sustainability

Sustainability certificates	ErP, TCO
-----------------------------	----------

Other features

Packaging content	quick start guide, safety guide
Weight	5 kg

Width	539 mm
Depth	221.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (brightness, contrast, ECO, ACR, OD, motion blur reduction, Adaptive Sync), colour settings (i-Style colour, blue light reducer, RGB range, colour temperature, user preset), OSD (OSD H. position, OSD V. position, OSD rotate, OSD time, OSD background, DDC/CI control, display information), language, extra1 (sharpness, video mode adjust, opening logo, power LED), extra 2 (shortcut key, FW version), input select, audio settings (volume, mute audio), reset (reset all)
Control panel	Joystick: Centre: Power/Menu, Up/Signal Select, Down, Left/Submenu, Right/Volume

Matmenys ir svoris

Matmenys (I × P × A)	68,00cm × 13,00cm × 38,00cm
Svoris	6,79kg