

iiyama ProLite XUB2395WSU-B5 computer monitor 57.1 cm (22.5") 1920 x 1200 pixels WUXGA LED Black

Gamintojas: IIYAMA · Modelis: XUB2395WSU-B5 · EAN: 4948570121458 · Prekės kodas: 726948



159,90 €

Kaina su PVM

Be PVM: 132,15 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 57.1 cm (22.5") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ HDMI DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Response time: 4 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 1920 x 1200 pixels WUXGA Panel type: IPS
- ✓ Energy efficiency class (SDR): E ErP CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

The demanding data and application-heavy world needs a display that creates a more productive work place. With 1920 x 1200 resolution, the XUB2395WSU offers 11% more height with the same width as a Full HD display, which works much better for spreadsheets, word documents and browsing the Internet. The height adjustable stand with PIVOT function allows you to easily adjust the monitor position to your preferences and the IPS panel technology assures accurate and consistent colour reproduction with wide viewing angles.

Techninė specifikacija

Specifications

Sandėlio grupė Flat Screens [+271][-238]

Display

Display diagonal	57.1 cm (22.5")
Display resolution	1920 x 1200 pixels
Native aspect ratio	16:10
Display technology	LED
Touchscreen	No
HD type	WUXGA
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Display number of colours	16.7 million colours
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Contrast ratio (dynamic)	5000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.254 x 0.248 mm
Horizontal scan range	48 - 75 kHz
Viewable size, horizontal	48.8 cm
Viewable size, vertical	29.7 cm
Display diagonal (metric)	57 cm
DDC/CI	Yes
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%

Performance

AMD FreeSync	Yes
AMD FreeSync type	FreeSync
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No

Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Business
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	2
Number of downstream ports	2
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
DisplayPorts quantity	1
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	23 - 5°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	German, English, French, Japanese, Dutch, Polish, Russian
Power	
Energy efficiency class (SDR)	E

Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	17 kWh
Power consumption (typical)	24 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	499 mm
Depth (with stand)	209.5 mm
Height (with stand)	503.5 mm
Weight (with stand)	4.5 kg
Width (without stand)	499 mm
Depth (without stand)	209.5 mm
Height (without stand)	353 mm
Packaging data	
Package weight	6 kg
Package type	Box
Packaging content	
Cables included	AC, USB, DisplayPort
Quick start guide	Yes
Sustainability	
Sustainability certificates	ErP
Other features	
Packaging content	quick start guide, safety guide
Weight	4.5 kg
Width	499 mm
Depth	209.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	luminance (contrast, brightness, i-Style colour, ACR, Eco), image settings (pixel clock, phase, H. position, V. position, aspect ratio), colour settings (gamma, 6-axis, colour temp.), OSD (H. position, V. position, OSD timeout, language), extra (reset, DDC/CI, signal select, OD, audio source, opening logo, FreeSync, information)

Control panel

Auto / Signal Select, -/ECO, +/-Volume, Menu, Power

Matmenys ir svoris

Matmenys (I × P × A)

61,00cm × 16,00cm × 42,00cm

Svoris

5,80kg