

iiyama ProLite XB3294UHSCP-B1 computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black

Gamintojas: **IIYAMA** · Modelis: **XB3294UHSCP-B1** · EAN: **4948570126279** · Prekės kodas: **726957**



350,90 €

Kaina su PVM

Be PVM: **290,00 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 80 cm (31.5") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-B, USB Type-C HDMI HDMI version: 2.1 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 60 Hz Response time: 2 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 3840 x 2160 pixels 4K Ultra HD Panel type: VA
- ✓ Energy efficiency class (SDR): G ErP, TCO CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

The ProLite XB3294UHSCP-B1 is a 32 inch 4K monitor designed to give you more space, sharper detail, and smoother workflows. Its VA panel with Ultra HD resolution and a 3000:1 contrast ratio delivers crisp, vibrant visuals. A brightness of 350cd/m2, 2ms response time, and Adaptive Sync ensure everything stays smooth and clear, whether you're creating content or working with data. USB-C (95W Power Delivery), HDMI, DisplayPort, and a built-in KVM switch make it easy to manage multiple devices while powering your laptop. PiP (Picture-in-Picture) and PbP (Picture-by-Picture) modes let you view content from two sources at the same time for more efficient multitasking. The three side borderless design helps you stay focused and supports seamless multi-monitor setups. The height adjustable stand, built-in speakers, and headphone jack provide comfort and convenience throughout your day. Certified with TCO, TÜV-GS and EPEAT Silver, it's a smart, sustainable choice for any modern workspace.

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	80 cm (31.5")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Touchscreen	No
HD type	4K Ultra HD
Panel type	VA
Response time	2 ms
Screen shape	Flat
Contrast ratio (typical)	3000:1
Maximum refresh rate	60 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	400 cd/m²
Response time measurement type	GTG (Gray to Gray)
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.182 x 0.182 mm
Horizontal scan range	30 - 160 kHz
Viewable size, horizontal	70.9 cm
Viewable size, vertical	40.6 cm
Display diagonal (metric)	80 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
DDC/CI	Yes
Colour depth	8 bit
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	99%
NTSC coverage (typical)	93%
Performance	
AMD FreeSync	Yes

VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	10 W
Design	
Market positioning	Graphics design
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B, USB Type-C
Number of upstream ports	1
Number of downstream ports	4
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	95 W
HDMI ports quantity	2
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.2
Built-in KVM switch	Yes
HDCP	Yes
Ergonomics	
VESA mounting	Yes

Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 23°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian
Number of OSD languages	11

Power

Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	33.1 kWh
Energy consumption (HDR) per 1000 hours	58.5 kWh
Power consumption (typical)	55 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width (with stand)	713.9 mm
--------------------	----------

Depth (with stand)	245.5 mm
Height (with stand)	598.5 mm
Weight (with stand)	8.5 kg
Width (without stand)	714 mm
Depth (without stand)	56 mm
Height (without stand)	428.5 mm

Packaging data

Package width	790 mm
Package depth	143 mm
Package height	510 mm
Package weight	11.8 kg
USB cable length	1.5 m

Packaging content

Cables included	AC, USB, HDMI, DisplayPort, USB Type-C
Quick start guide	Yes
DisplayPort cable length	1.85 m
Power cable length	1.85 m

Sustainability

Sustainability certificates	ErP, TCO
-----------------------------	----------

Other features

Packaging content	quick start guide, safety guide
Weight	8.5 kg
Width	713.9 mm
Depth	245.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
Certification	TCO Certified, CE, TÜV-GS, EAC, VCCI-B, PSE, RoHS support, ErP, WEEE, REACH, UKCA
User controls	picture adjust (brightness, contrast, Eco, ACR, OD, HDR, AdaptiveSync, X-Res technology, black tuner), colour settings (6-axis, i-Style colour, blue light reducer, gamma, RGB range, colour temp.), PiP/PiB (PiP/PiB, sub source, PiP position, PiP size, swap), OSD (position H, position V, OSD time, background, DDC/CI control, display information), language, miscellaneous (sharpness, video mode adjust, opening logo, power LED, USB charge, USB-C speed), KVM, input select, audio settings (volume, mute, audio input), recall (recall all)
Control panel	Joystick: Center: Power/ Menu, Up/ Input Select, Down, Left: i-Style Colour/ ECO/ Blue Light Reducer, Right/ Volume

Matmenys ir svoris

Matmenys (I × P × A)	79,00cm × 14,00cm × 51,00cm
----------------------	-----------------------------

Svoris

11,65kg