

iiyama ProLite XCB3494WQSU-B1 computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black

Gamintojas: IIYAMA · Modelis: XCB3494WQSU-B1 · EAN: 4948570125135 · Prekės kodas: 726958



294,90 €

Kaina su PVM

Be PVM: 243,72 €

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4 cm (34") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-A, USB Type-C HDMI HDMI version: 1.4/2.0 DisplayPorts quantity: 1 DisplayPort version: 1.4
- ✓ Screen shape: Curved
- ✓ Maximum refresh rate: 120 Hz Response time: 0.4 ms Response time (MPRT): 0.4 ms
- ✓ 3440 x 1440 pixels UltraWide Quad HD Panel type: VA
- ✓ Energy efficiency class (SDR): F ErP, TCO CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

The ProLite XCB3494WQSU is a 34-inch curved monitor with a VA panel, delivering high contrast, deep blacks, and wide viewing angles for consistent image quality from any perspective. UWQHD (Ultra-Wide QHD) resolution provides an ultra-wide (21:9) viewable area. The large amount of screen space and good pixel density make it very suitable for those who want to use side-by-side applications, watch widescreen content or enhance their gaming experience. For added comfort and flexibility, the 15cm height-adjustable stand allows you to adjust the screen position to your preference. Additionally, flicker-free technology and a blue light reducer function reduces eye fatigue.

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LED
Touchscreen	No
HD type	UltraWide Quad HD
Panel type	VA
Response time	0.4 ms
Screen shape	Curved
Contrast ratio (typical)	3000:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	350 cd/m²
Response time (MPRT)	0.4 ms
Display surface	Matt
Screen curvature rating	1500R
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.232 x 0.232 mm
Horizontal scan range	30 - 180 kHz
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Display diagonal (metric)	86.7 cm
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	99%
NTSC coverage (typical)	93%
Performance	
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes

Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	10 W
Design	
Market positioning	Business
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-A, USB Type-C
Number of downstream ports	4
HDMI ports quantity	2
HDMI version	1.4/2.0
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	5 - 23°

On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	31.7 kWh
Power consumption (typical)	32 W
Power consumption (standby)	32 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	807 mm
Depth (with stand)	245.5 mm
Height (with stand)	576 mm
Weight (with stand)	9.7 kg
Width (without stand)	807 mm
Depth (without stand)	245.5 mm
Height (without stand)	426 mm
Packaging data	
Package width	928 mm
Package depth	186 mm
Package height	480 mm
Package weight	13.8 kg
Package type	Box
Packaging content	
Cables included	AC, USB, HDMI, DisplayPort
Sustainability	
Sustainability certificates	ErP, TCO
Other features	
Packaging content	quick start guide, safety guide
Weight	9.7 kg

Width	807 mm
Depth	245.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (brightness, contrast, Eco, ACR, OD, AdaptiveSync, motion blur reduction, X-Res technology, black tuner), colour settings (6-axis, i-Style colour, blue light reducer, gamma, RGB range, colour temp.), OSD (OSD H. position, OSD V. position, OSD time, OSD background, DDC/CI control, display information), language, miscellaneous (sharpness, video mode adjust, opening logo, power LED, USB charge, USB C speed), input select, audio settings (volume, mute audio), recall
Control panel	Joystick: Power/ Menu (Centre), Forward/ Signal Select, Backward, Left/ i-Style colour/ ECO/ Blue Light Reducer, Right/ Volume
Matmenys ir svoris	
Matmenys (I × P × A)	94,00cm × 20,00cm × 49,00cm
Svoris	12,00kg