

iiyama ProLite XU2293HS-B6 computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **IIYAMA** · Modelis: **XU2293HS-B6** · EAN: **4948570124244** · Prekės kodas: **726959**



115,91 €

Kaina su PVM

Be PVM: **95,79 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54.6 cm (21.5") Black
- ✓ Built-in speaker(s)
- ✓ HDMI HDMI version: 1.4 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 100 Hz Response time: 1 ms Response time (MPRT): 1 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E ErP, TCO CE, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE



Aprašymas

The stylish edge-to-edge design of the ProLite XU2293HS with IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles. High contrast and brightness values mean the monitor will provide excellent performance for photographic and web design. Equipped with speakers, headphone socket, HDMI and DisplayPort connections and a blue light reducer function to reduce eye fatigue, this 21.5" ProLite display is a great choice for both multi-monitor configuration and office applications.

Techninė specifikacija

Specifications

Sandėlio grupė Flat Screens [+271][-238]

Display

Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	1 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
Display brightness (peak)	300 cd/m²
Display brightness (typical)	300 cd/m²
Response time (MPRT)	1 ms
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.249 x 0.249 mm
Horizontal scan range	30 - 110 kHz
Viewable size, horizontal	47.9 cm
Viewable size, vertical	26 cm
Display diagonal (metric)	54.5 cm
DDC/CI	Yes
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

AMD FreeSync	Yes
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Graphics design
Product colour	Black
Feet colour	Black

Ports & interfaces

HDMI	Yes
Headphone out	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	1
HDCP	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-4 - 22°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Traditional Chinese, Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Portuguese, Russian, Turkish

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	12.2 kWh
Power consumption (typical)	17 W
Power consumption (standby)	0.5 W

Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	492 mm
Depth (with stand)	178 mm
Height (with stand)	359 mm
Weight (with stand)	2.6 kg
Packaging data	
Package width	564 mm
Package depth	122 mm
Package height	380 mm
Package weight	3.6 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	AC, HDMI
Power adapter included	Yes
Quick start guide	Yes
Manual	Yes
Sustainability	
Sustainability certificates	ErP, TCO
Sustainability compliance	Yes
Other features	
Packaging content	quick start guide, safety guide
Weight	2.6 kg
Height	359 mm
Width	492 mm
Depth	178 mm
Compliance certificates	CE, EAC, REACH, RoHS, TÜV mark, UKCA, WEEE

User controls

picture adjust (brightness, contrast, i-Style colour, ACR, Eco, OD, X-Res technology), colour settings (gamma, RGB range, colour temp.), image settings (video mode adjust, blue light reducer, sharp and soft, AdaptiveSync), OSD (OSD H. position, OSD V. position, OSD time, OSD background, language, display information), extra (reset, DDC /CI, signal select, LED, opening logo)

Control panel

Power, Menu, Up / Right / Volume, Down / Left / Eco, Signal/ Exit

Matmenys ir svoris

Matmenys (I × P × A)

56,00cm × 14,00cm × 35,00cm

Svoris

3,70kg