

iiyama ProLite XUB2797QSU-W2 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED White

Gamintojas: IIYAMA · Modelis: XUB2797QSU-W2 · EAN: 4948570125111 · Prekės kodas: 726962



239,89 €

Kaina su PVM

Be PVM: 198,26 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") LED IPS
- ✓ Quad HD 2560 x 1440 pixels 16:9
- ✓ 100 Hz 1 ms 300 cd/m² 1300:1
- ✓ AMD FreeSync Flicker-free technology
- ✓ E 21.6 kWh 23 W



Aprašymas

Stylish edge-to-edge design ProLite XUB2797QSU offering QHD (2560x1440) resolution is perfect for multi-monitor set-ups. The IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles. The 100Hz refresh rate together with AdaptiveSync provides an instant, tangible improvement in image smoothness. High contrast and brightness values mean the monitor will provide excellent performance for photographic and web design. Equipped with speakers, 2 port USB 3.2, headphone socket, HDMI and DisplayPort connections, a blue light reducer function to reduce eye fatigue and an ergonomic 150mm height adjustable stand for optimal user comfort, make this 27" monitor a great choice for both home and office applications. Available also equipped with USB-C dock: XUB2797QSN-W2 .

Techninė specifikacija

Specifications

Sandėlio grupė Flat Screens [+271][-238]

Display

Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	1 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	300 cd/m²
Response time (MPRT)	1 ms
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.233 x 0.233 mm
Horizontal scan range	30 - 110 kHz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
DDC/CI	Yes
Colour gamut standard	NTSC, sRGB
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

AMD FreeSync	Yes
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Business
Product colour	White
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of downstream ports	2
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-60 - 60°
Tilt adjustment	Yes
Tilt angle range	23 - 5°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	21.6 kWh
Power consumption (typical)	23 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	613.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	550.5 mm
Weight (with stand)	5.7 kg
Width (without stand)	613.5 mm
Depth (without stand)	209.5 mm
Height (without stand)	400.5 mm

Packaging data

Package width	679 mm
Package depth	130 mm
Package height	427 mm
Package weight	8.3 kg
Package type	Box

Packaging content

Cables included	AC, USB, HDMI, DisplayPort
Quick start guide	Yes

Sustainability

Sustainability certificates	ErP, TCO
-----------------------------	----------

Other features

Packaging content	quick start guide, safety guide
Weight	5.7 kg
Width	613.5 mm

Depth	209.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
Manufacturer warranty	5 years (for details and eligible countries please check the Warranty section of our website)
User controls	picture adjust (brightness, contrast, Eco, ACR, OD, MBR, AdaptiveSync), colour settings (i-Style colour, blue light reducer, colour temp., user preset), OSD (OSD H. position, OSD V. position, OSD rotate, OSD time), language, recall, miscellaneous (sharp and soft, video mode adjust, opening logo, RGB range, LED, display information), input select (source), audio settings (volume, mute audio)
Control panel	Power, Menu, Up/ Right/ Volume, Down/ Left/ Submenu, Input/ Exit
Matmenys ir svoris	
Matmenys (I × P × A)	68,00cm × 16,00cm × 44,00cm
Svoris	8,15kg