

LG 27BA54QB-B computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Gamintojas: **LG** · Modelis: **27BA54QB-B.AEU** · EAN: **8806096431160** · Prekės kodas: **727091**



213,90 €

Kaina su PVM

Be PVM: **176,78 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 27" QHD (2560 x 1440) IPS display
- ✓ HDR10 / sRGB 99% (Typ.)
- ✓ Built-in Power
- ✓ Flicker Safe & Reader Mode
- ✓ Tilt / Height / Swivel / Pivot adjustable stand
- ✓ LG Switch app



Aprašymas

27" QHD IPS display

Vivid color at wide angles

LG QHD (2560 x 1440) monitor with IPS technology delivers a clear and consistent color. It can provide vivid color reproduction and help users to view the screen at a wide angle.

Versatile business monitors for various workspace

This versatile monitor can cover various works at many places, such as offices, public institutions, hospitals, and customer service, with a clear IPS display and 3-side virtually borderless design.

HDR10 with sRGB 99% (Typ.)

See amazing colors

HDR technology is now applied to various content. This monitor is compatible with industry standard HDR10 (High Dynamic Range), based on the sRGB 99% color gamut, supporting specific levels of color and brightness that enables viewers to enjoy the dramatic colors of the content.

Multi ports

A variety of interface

The 27BA54QB offers a variety of ports, solving the problem of limited connectivity for hardworking individuals. With its multiple ports, you can easily connect numerous devices for efficient desk setup. Say goodbye to the frustration of running out of ports.

Integrated power module

Fully use your desk

With built-in power, workstations can have a streamlined, spacious setup. This improves space utilization and organization, resulting in a cleaner and more efficient work environment.

LG Switch app

Switch swiftly

LG Switch app helps to optimize the monitor for an efficient work environment. You can divide the display into six areas, manage the schedules, or launch a video call platform with a mapped hotkey effortlessly.

Ergonomic design

Easy and comfy

The 27BA450 supports tilt, swivel, pivot, and height adjustment options to make a comfortable workstation for those who spend extended hours in front of monitors. Also, our ergonomic stand facilitates communication with customers or colleagues by allowing for a downward height adjustment.

Flicker Safe

Flicker Safe reduces invisible flickering on the screen, which helps reduce eye strain.

Reader Mode

Reader Mode adjusts color temperature and luminance that helps to lessen eye fatigue and provide eye comfort while reading documents on a monitor.

Techninė specifikacija

Specifications	
Sandėlio grupė	Flat Screens [+271][-238]
Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1

Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
Display brightness (peak)	350 cd/m²
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	2560 x 1440
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2331 x 0.2331 mm
Display diagonal (metric)	68.466 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	HDR Effect, High Dynamic Range 10 (HDR10)
Colour depth	8 bit
Colour gamut standard	sRGB
sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	10 W
Design	
Market positioning	Business
Product colour	Black
Frameless design	Yes
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)

Number of upstream ports	1
USB Type-A downstream ports quantity	2
HDMI ports quantity	2
HDMI version	2.2
DisplayPorts quantity	1
DisplayPort out quantity	1
DisplayPort version	1.4
Built-in KVM switch	Yes
HDCP	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Number of OSD languages	17

Power

Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	16 kWh
Energy consumption (HDR) per 1000 hours	27 kWh
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	613.5 mm
Depth (with stand)	250 mm
Height (with stand)	569.7 mm
Weight (with stand)	8.1 kg
Width (without stand)	613.5 mm
Depth (without stand)	63 mm
Height (without stand)	569.7 mm
Weight (without stand)	5.3 kg
Packaging data	
Package width	722 mm
Package depth	198 mm
Package height	547 mm
Package weight	10.7 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort
DisplayPort cable length	1.8 m
Power cable length	1.8 m
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT, TCO
Other features	
Brand specific technologies	Black Stabilizer, Super+ Resolution
Matmenys ir svoris	
Matmenys (I × P × A)	72,00cm × 22,00cm × 50,00cm
Svoris	11,86kg